



COST Action FA0605

“Signalling control of stress tolerance and
production of stress protective compounds in plants. “
International Network of Plant Abiotic Stress” (INPAS)

http://www.cost.esf.org/index.php?id=181&action_number=FA0605
<http://cost-inpas.org/>.

Published papers (total – 2007 – October 2011)

2007

Akkurt M.; Welter L.; Maul E.; Toepfer R.; Zyprian E. (2007) Development of SCAR markers linked to powdery mildew (*Uncinula necator*) resistance in grapevine (*Vitis vinifera* L and *Vitis* sp). *Molecular Breeding* 19: 103-111.

Andric L.; Teklic T.; Vratarić M.; Sudarić A.; Duvnjak V. (2007) Soybean seed vigour and field emergence under influence of cultivar, seed age and planting date. *Cereal Research Communications* 35(2): 177-180.

Atanassov A.; Batchvarova R.; Djilianov D. (2007) Strategic vision for plant biotechnology and genomics development. *Biotechnology & Biotechnology Eq.* 21: 1-7.

Batelli G.; Verslues P.E.; Agius F.; Qiu Q.; Fujii H.; Pan S.; Schumaker K.S.; Grillo S.; Zhu J.K. (2007) SOS2 promotes salt tolerance in part by interacting with the vacuolar H⁺-ATPase and upregulating its transport activity. *Molecular and Cellular Biology* 27(22): 7781-7790.

Birkemeyer C.; Kopka J. (2007) Design of metabolite recovery by variations of the metabolite profiling protocol. In: (Nikolau BJ, Wurtele ES, eds.) *Concepts in plant metabolomics*. Dordrecht, Netherlands: Springer-Verlag, 45-69.

Bogeat-Triboulot M.B.; Brosche M.; Renaut J.; Jouve L.; Thiec D.L.; Fayyaz P.; Vinocur B.; Witters E.; Laukens K.; Teichmann T.; Altman A.; Hausman J.F.; Polle A.; Kangasjarvi J.; Dreyer E. (2007) Gradual Soil Water Depletion Results in Reversible Changes of Gene Expression, Protein Profiles, Ecophysiology, and Growth Performance in *Populus euphratica*, a Poplar Growing in Arid Regions. *Plant Physiol.* 143: 876-892.

Bohler S.; Bagard M.; Oufir M.; Planchon S.; Hoffmann L.; Jolivet Y.; Hausman J.F.; Dizengremel P.; Renaut J. (2007) A DiGE analysis of developing poplar leaves subjected to ozone reveals major changes in carbon metabolism. *Proteomics* 7 (10): 1584-1599.

Bou Dagher-Kharrat M.; Mariette S.; Lefevre F.; Fady B.; Grenier- March G.; Plomion C.; Savoure A. (2007) Geographical diversity and genetic relationships among *Cedrus* species

estimated by AFLP. *Tree Genetics & Genome* 3: 275-285.

- Brader G.; Djamei A.; Teige M.; Palva E.T.; Hirt H.** (2007) The MAP kinase kinase MKK2 affects disease resistance in Arabidopsis. *Molecular Plant-Microbe Interactions* 20: 589-596.
- Brini F.; Hanin M.; Lumbreras V.; Amara I.; Khoudi H.; Hassairi A.; Pages M.; Masmoudi K.** (2007) Overexpression of wheat dehydrin DHN-5 enhances tolerance to salt and osmotic stress in Arabidopsis thaliana. *Plant Cell Reports* 26: 2017-2026.
- Brini F.; Hanin M.; Lumbreras V.; Irar S.; Pages M.; Masmoudi K.** (2007) Functional characterization of DHN-5, a dehydrin showing a differential phosphorylation pattern in two Tunisian durum wheat (*Triticum durum* Desf.) varieties with marked differences in salt and drought tolerance. *Plant Science* 172: 20-28.
- Cummings I.; Reid J.B.; Koutoulis A.** (2007) Red to far-red ratio correction in plant growth chambers – growth responses and influence of thermal load on garden pea. *Physiologia Plantarum* 131: 171-179.
- Dauwe R.; Morreel K.; Goeminne G.; Gielen B.; Rohde A.; Van Beeumen J.; Ralph J.; Boudet A.M.; Kopka J.; Rochange S.F.; Halpin C.; Messens E.; Boerjan W.** (2007) Molecular phenotyping of lignin-modified tobacco reveals associated changes in cell-wall metabolism, primary metabolism, stress metabolism and photorespiration. *Plant Journal* 52 (2): 263-285.
- de Torres-Zabala M.; Truman W.; Bennett M.H.; Lafforgue G.; Mansfield J.W.; Egea R.; Bögre L.; Grant M.** (2007) Pseudomonas syringae pv tomato hijacks the Arabidopsis abscisic acid signalling pathway to cause disease. *EMBO Journal* 26: 1434-1443.
- Debouba M.; Gouia H.; Maaroufi-Dghimi H.; Suzuki A.; Ghorbel M.H.** (2007) Changes in Growth and Activity of Enzymes Involved in Nitrate Reduction and Ammonium Assimilation in Tomato Seedlings in Response to NaCl Stress. *Annals of Botany* 99: 1143-1151.
- Ding Z.; Doyle M.R.; Amasino R.M.; Davis S.J.** (2007) A complex genetic interaction between Arabidopsis thaliana TOC1 and CCA1/LHY in driving the circadian clock and in output regulation. *Genetics* 176: 1501-1510.
- Ding Z.; Millar A.; Davis A.M.; Davis S.J.** (2007) TIME FOR COFFEE encodes a nuclear regulator in the Arabidopsis thaliana circadian clock. *Plant Cell* 19: 1522-1536.
- Docquier S.; Kevers C.; Lambe P.; Gaspar T.; Dommès J.** (2007) Beneficial use of lignosulfonates in in vitro plant cultures: stimulation of growth, of multiplication and of rooting. *Plant Cell Tissue Organ Culture* 90: 285-291.
- Domagalska M.A.; Schomburg F.M.; Amasino R.M.; Vierstra R.D.; Nagy F.; Davis S.J.** (2007) Attenuation of Brassinosteroid Signaling Enhances FLC Expression and Delays Flowering. *Development* 134: 2841-2850.
- Eibach R.; Zyprian E.; Welter R.; Töpfer R.** (2007) The use of molecular markers for pyramiding resistance genes in grapevine breeding. *Vitis* 46(2): 120-124.

- Erbán A.; Schauer N.; Fernie A.R.; Kopka J.** (2007) Non-supervised construction and application of mass spectral and retention time index libraries from time-of-flight GC-MS metabolite profiles. In: (*Weckwerth W, ed.*) *Metabolomics: methods and protocols*. Totowa: Humana Press, 19-38.
- Escaray F.J.; Pesqueira J.; Pieckenstain F.L.; Carrasco P.; Ruiz O.A.** (2007) Condensed Tannins and anthocyanidins in the Lotus genus: Relationships with saline stress in forage species devoted for marginal soils. *Innovación y Tecnología Agroalimentaria (ITA España)* 2: 113-123.
- Farkas I.; Dombrádi V.; Miskei M.; Szabados L.; Koncz C.** (2007) Arabidopsis PPP family of serine/threonine phosphatases. *Trends in Plant Science* 12: 169-176.
- Fast-Seefeldt H.; van den Berg F.; Klöckenberger W.; Engelsen B.; Wollenweber B.** (2007) Water mobility in the endosperm of high beta-glucan barley mutants as studied by nuclear magnetic resonance imaging. *Magnetic Resonance Imaging* 125: 425-432.
- Francisco J.; Pesqueira J.; Pieckenstain F.L.; Carrasco P.; Ruiz O.A.** (2007) Taninos condensados y antocianinas en el género Lotus: su relación con el estrés salino en especies forrajeras para zonas marginales. *Escaray Innovación*: 113-123.
- Gagneul D.; Ainouche A.; Duhaze C.; Lugan R.; Larher F.R.; Bouchereau A.** (2007) A reassessment of the function of the so-called compatible solutes in the halophytic Plumbaginaceae *Limonium latifolium*. *Plant Physiology* 144: 1598-1611.
- Gaveliene V.; Novickiene L.; Kazlauskienė D.** (2007) Effect of auxin physiological analogues on rape growth and reproductive development. *Botanica Lithuanica* 13(2): 101-107.
- Gaveliene V.; Novickiene L.; Miliuviene L.** (2007) Improving of oilseed rape lateral root formation by physiological analogues of auxin. *Acta Physiologia Plantarum* 29: 291-295.
- Gorecka K.; Cvikrova M.; Kowalska U.; Eder J.; Szafranska K.; Gorecki R.; Janas K.M.** (2007) The impact of Cu treatment on phenolic and polyamine levels in plant material regenerated from embryos obtained in anther culture of carrot. *Plant Physiology and Biochemistry* 45: 54-61.
- Grzesiak M.T.; Rzepka A.; Hura T.; Hura K.; Skoczowski A.** (2007) Changes in response to drought stress of triticale and maize genotypes differing in drought tolerance. *Photosynthetica* 45: 280-287.
- Grzesiak M.T.; Rzepka A.; Hura T.; Hura K.; Skoczowski A.** (2007) Fluorescence excitation spectra of drought resistant and sensitive genotypes of triticale and maize. *Photosynthetica* 45: 606-611.
- Hanano S.; Davis S.J.** (2007) Mind the Clock. *Plant Signaling and Behavior* 6: 477-479.
- Hannah M.A.; Kraemer K.M.; Geffroy V.; Kopka J.; Blair M.W.; Erban A.; Vallejos C.E.; Heyer A.G.; Sanders F.E.T.; Millner P.A.; Pilbeam D.J.** (2007) Hybrid weakness controlled by the dosage-dependent lethal (DL) gene system in common bean (*Phaseolus vulgaris*) is caused by a shoot-derived inhibitory signal leading to salicylic acid-associated

root death. *New Phytologist* 176 (3): 537-549.

- Harlow L.D.; Koutoulis A.; Hallegraeff G.M.** (2007) S-adenosylmethionine synthetase genes from eleven marine dinoflagellates. *Phycologia* 46: 46-53.
- Harlow L.D.; Negri A.; Hallegraeff G.M.; Koutoulis A.** (2007) Sam, Sahn and Map gene expression during cell division and paralytic shellfish toxin production of *Alexandrium catenella* (Dinophyceae). *Phycologia* 46: 666-674.
- Hernandez G.; Ramirez M.; Valdes-Lopez O.; Tesfaye M.; Graham M.A.; Czechowski T.; Schlereth A.; Wandrey M.; Erban A.; Cheung F.; Wu H.C.; Lara M.; Town C.D.; Kopka J.; Udvardi M.K.; Vance C.P.** (2007) Phosphorus stress in common bean: Root transcript and metabolic responses. *Plant Physiology* 144 (2): 752-767.
- Hincha D.K.; Livingston III D.P.; Premakumar R.; Zuther E.; Obel N.; Cacela C.; Heyer A.G.** (2007) Fructans from oat and rye: Composition and effects on membrane stability during drying. *Biochimica & Biophysica Acta* 1768: 1611-1619.
- Huege J.; Sulpice R.; Gibon Y.; Lisek J.; Koehl K.; Kopka J.** (2007) GC-EI-TOF-MS analysis of in vivo-carbon-partitioning into soluble metabolite pools of higher plants by monitoring isotope dilution after (¹³CO₂)-labelling. *Phytochemistry* 68 (16-18): 2258-2272.
- Hura T.; Hura K.; Grzesiak M.T.; Rzepka A.** (2007) Effect of long-term drought stress on leaf gas exchange and fluorescence parameters in C₃ and C₄ plants. *Acta Physiol. Plant.* 29: 103-113.
- Iannacone R.; Petrozza A.; Armentano N.; Taddonio G.; Sagace G.; Johannesson H.; Engstrom P.; Cellini F.** 2007. Analysis of salt and drought tolerance in transgenic tomato overexpressing the Arabidopsis Transcription Factor ATHB7R. *Abstracts for the 3rd International Congress on Stress Responses in Biology and Medicine and the 2nd International Congress of Stress Research Cell Stress & Chaperones*, Vol. 12.
- Jacques P.; Kevers C.; Gaspar T.; Dommes J.; Thonart P.** (2007) Conditioning *Panax vietnamensis* cell mass production in bioreactors. *Acta Botanica Gallica* 154: 21-26.
- Jerzmanowski A.** (2007) SWI/SNF chromatin remodeling and linker histones in plants. *Biochimimica & Biophysica Acta* 1769: 330-345.
- Jimenez-Bremont J.F.; Ruiz O.A.; Rodríguez Kessler M.** (2007) Modulation of spermidine and spermine levels in maize seedlings subjected to long-term saline stress. *Plant Physiology and Biochemistry* 45: 812-821.
- Jørgensen J.R.; Deleuran L.C.; Wollenweber B.** (2007) Prospects of whole grain crops of wheat, rye and triticale under different fertilizer regimes for energy production. *Biomass and Bioenergy* 31: 308-317.
- Kadioglu A.; Terzi R.A.** (2007) Dehydration Avoidance Mechanism - Leaf Rolling. *The Botanical Review* 73(4): 290-302.

- Kampranis S.C.; Ioannidis D.; Purvis A.; Mahrez W.; Ninga E.; Katerelos N.A.; Anssour S.; Makris A.M.; Goodenough; Johnson C.B.** (2007) Rational conversion of substrate and product specificity in a monoterpene synthase. Structural insights into the evolution of terpene synthase function. *Plant Cell* 19: 1994-1005.
- Kaplan F.; Kopka J.; Sung D.Y.; Zhao W.; Popp M.; Porat R.; Guy C.L.** (2007) Transcript and metabolite profiling during cold acclimation of Arabidopsis reveals an intricate relationship of cold-regulated gene expression with modifications in metabolite content. *Plant Journal* 50 (6): 967-981.
- Kempa S.; Rozhon W.; Samaj J.; Erban A.; Baluska F.; Becker T.; Haselmayer J.; Schleiff E.; Kopka J.; Hirt H.; Jonak C.** (2007) A plastid-localized glycogen synthase kinase 3 modulates stress tolerance and carbohydrate metabolism. *Plant Journal* 49 (6): 1076-1090.
- Kevers C.; Falkowski M.; Tabart J.; Defraigne J.O.; Dommès J.; Pincemail J.** (2007) Evolution of antioxidant capacity during storage of selected fruits and vegetables J. *Agric. Food Chem.* 55: 8596-8603.
- Koca H.; Bor M.; Ozdemir F.; Turkan I.** (2007) The effect of salt stress on lipid peroxidation, antioxidative enzymes and proline content of sesame cultivars. *Environmental and Experimental Botany* 60(3): 344-351.
- Kohnen S.; Franck T.; Van Antwerpen P.; Boudjeltia K.Z.; Mouithys-Mickalad A.; Deby C.; Moguilevsky N.; Deby-Dupont G.; Lamy M.; Serteyn D.** (2007) Resveratrol inhibits the activity of equine neutrophil myeloperoxidase by a direct interaction with the enzyme. *Journal of Agricultural & Food Chemistry* 55: 8080-8087.
- Kollist T.; Moldau H.; Rasulov B.; Rämme H.; Oja V.; Huve K.; Jaspers P.; Kangasjärvi J.; Kollist H.** (2007) A novel device detects a rapid ozone-induced transient stomatal closure in intact Arabidopsis and its absence in *abi2* mutant. *Physiologia Plantarum* 129: 796-803.
- Kolmos E.; Davis S.J.** (2007) Circadian Rhythms: Rho-Related Signals in Time-Specific Light Perception. *Current Biology* 17: 808-810.
- Kolmos E.; Davis S.J.** (2007) ELF4 as a Central Gene in the Circadian Clock. *Plant Signaling and Behavior* 5: 370-372.
- Kooijman E.E.; Tieleman D.P.; Testerink C.; Munnik T.; Rijkers D.T.S.; Burger K.N.J.; Kruijff B.** (2007) An electrostatic/hydrogen bond switch as basis for the specific interaction of phosphatidic acid with proteins. *Journal of Biological Chemistry* 282: 11356-11364.
- Kusano T.; Yamaguchi K.; Berberich T.; Takahashi Y.** (2007) Advances in polyamine research in 2007. *Journal of Plant Research* 120: 345-350.
- Kusano T.; Yamaguchi K.; Berberich T.; Takahashi Y.** (2007) The polyamine spermine rescues Arabidopsis from salinity and drought stresses. *Plant Signaling & Behavior* 2: 251-252.
- McWatters H.G.; Kolmos E.; Hall A.; Doyle M.R.; Amasino R.A.; Gyula P.; Nagy F.; Millar A.J.; Davis S.J.** (2007) ELF4 is required for oscillatory properties of the circadian clock. *Plant Physiology* 144: 391-401.

- Medina J.; Ballesteros M.L.; Salinas J.** (2007) Phylogenetic and functional analysis of Arabidopsis RC12 genes. *Journal of Experimental Botany* 58: 4333–4346.
- Merkys A.; Novickiene L.; Darginaviciene J.; Maksimov G.** (2007) Advantages of auxin analogues as plant growth and productivity regulators. *International Journal of Environment and Pollution* 29(4): 443-456.
- Misra S.; Wu Y.; Venkataraman G.; Sopory S.; Tuteja N.** (2007) Heterotrimeric G-protein complex and G-protein-coupled receptor from a legume (*Pisum sativum*): role in salinity and heat stress and cross-talk with Phospholipase. *Plant Journal* 51: 656-669.
- Mita G.; Fasano P.; Domenico S.D.; Perrone G.; Epifani F.; Iannaccone R.; Casey R.; Santino A.** (2007) 9-Lipoxygenase metabolism is involved in the almond/*Aspergillus carbonarius* interaction. *Journal of Experimental Botany* 58: 1803-1811.
- Mitsuya Y.; Takahashi Y.; Uehara Y.; Berberich T.; Miyazaki A.; Takahashi H.; Kusano T.** (2007) Identification of a novel Cys2/His2-type zinc finger protein as a component of a spermine-signaling pathway in tobacco. *Journal of Plant Physiology* 164: 785-793.
- Moravcikova J.; Salaj J.; -Bauer M.; Matusikova I.; Galova Z.; Mlynarova L.; Libantova H.** (2007) Stress-induced expression of cucumber chitinase and *Nicotiana plumbaginifolia* ?-1,3 glucanase genes in transgenic potato plants. *Acta Physiologiae Plantarum* 29 (2): 133-141.
- Niemi K.; Julkunen-Tiitto R.; Häggman H.; Sarjala T.** (2007) *Suillus variegatus* causes significant changes in the content of individual polyamines and flavonoids in Scots pine seedlings during mycorrhiza formation in vitro. *Journal of Experimental Botany* 58: 391-401.
- Niemi K.; Sarjala T.; Chen X.; Häggman H.** (2007) Spermidine and the ectomycorrhizal fungus *Pisolithus tinctorius* synergistically induce maturation of Scots pine embryogenic cultures. *Journal of Plant Physiology* 164: 629-635.
- Niinemets U.** (2007) Photosynthesis and resource distribution through plant canopies. *Plant Cell and Environment* 30: 1052-1071.
- Novickiene L.; Merkys A.; Miliuviene L.; Gaveliene V.; Kazlauskiene D.; Pakalniskyte L.** 2007. Physiological principles of modification of cereal crops growth and productivity. *Rural development- 2007- The third international scientific conference*, 178-184.
- Novillo F.; Medina J.; Salinas J.** (2007) Arabidopsis CBF1 and CBF3 have a different function than CBF2 in cold acclimation and define different gene classes in the CBF regulon. *Proc. Natl. Acad. Sci. USA* 104: 21002-21007.
- Odat O.; Matta S.; Khalil H.; Kampranis C.S.; Pfau R.; Tsihchlis P.N.; Makris A.M.** (2007) Old Yellow Enzymes, Highly Homologous FMN Oxidoreductases with Modulating Roles in Oxidative Stress and Programmed Cell Death in Yeast. *Journal of Biological Chemistry* 282: 36010-36023.
- Oliveira E.; Amara I.; Bellido D.; Odena M.A.; Domínguez E.; Pages M.; Goday A.** (2007) LC-

MSMS identification of *Arabidopsis thaliana* heat-stable seed proteins: enriching for LEA-type proteins by acid treatment. *Journal of Mass Spectrometry* 42(11): 1485-1495.

- Ondo Ovono P.; Kevers C.; Dommes J.** (2007) Axillary proliferation and tuberisation of *Dioscorea cayenensis* - *D. rotundata* complex. *Plant Cell Tissue & Organ Culture* 91: 107-114.
- Page A.F.; Mohapatra S.; Minocha R.; Minocha S.C.** (2007) The effects of genetic manipulation of putrescine biosynthesis on the transcription and activities of the other polyamine biosynthetic enzymes. *Physiologia Plantarum* 129: 707-724.
- Parre E.; Ghars M.A.; Leprince A.S.; Thiery L.; Lefebvre D.; Bordenave M.; Richard L.; Mazars C.; Abdelly C.; Savouré A.** (2007) Calcium signaling via phospholipase C is essential for proline accumulation upon ionic but not non-ionic hyperosmotic stresses in *Arabidopsis thaliana*. *Plant Physiology* 144(1): 503-512.
- Parveen I.; Moorby J.M.; Fraser M.D.; Allison G.G.; Kopka J.** (2007) Application of gas chromatography-mass spectrometry metabolite profiling techniques to the analysis of heathland plant diets of sheep. *Journal of Agricultural and Food Chemistry* 55 (4): 1129-1138.
- Phillips J.; Dalmay T.; Bartels D.** (2007) The role of small RNAs in abiotic stress. *FEBS Letters* 581: 3592-3597.
- Ramos-Diaz A.; Brito-Argaez L.; Munnik T.; Hernandez-Sotomayor S.M.** (2007) Aluminum inhibits phosphatidic acid formation by blocking the phospholipase C pathway. *Planta* 225: 393-401.
- Reyes J.C.; Brzeski J.; Jerzmanowski A.** (2007) Chromatin remodeling and histone variants in transcriptional regulation and in maintaining DNA methylation. *Annual Plant Reviews* 29: 112-135.
- Sannazzaro A.; Echeverria M.; Alberto R.; Menendez A.** (2007) Modulation of polyamine balance in *Lotus glaber* by salinity and arbuscular mycorrhiza. *Plant Physiology and Biochemistry* 45 (1): 39-46.
- Sarwat M.; Tuteja N.** (2007) Calnexin: a versatile calcium binding integral membrane-bound chaperone of endoplasmic reticulum. *Calcium Binding Proteins* 2(1): 36-50.
- Schwacke R.; Fischer K.; Ketelsen B.; Krupinska K.; Krause K.** (2007) Comparative survey of plastid and mitochondrial targeting properties of transcription factors in *Arabidopsis* and rice. *Molecular Genetics and Genomics* 277: 631-646.
- Schweighofer A.; Kazanaviciute V.; Scheikl E.; Teige M.; Doczi R.; Hirt H.; Schwanninger M.; Kant M.; Schuurink R.; Buchala A.; Mauch F.; Cardinale F.; Meskiene I.** (2007) PP2C-type Phosphatase AP2C1 Negatively Regulates MPK4 and MPK6, and Modulates Innate Immunity, Jasmonic Acid and Ethylene Levels in *Arabidopsis*. *Plant Cell* 19: 2213-2224.
- Schaarschmidt S.; Kopka J.; Ludwig-Mueller J.; Hause B.** (2007) Regulation of arbuscular

mycorrhization by apoplastic invertases: enhanced invertase activity in the leaf apoplast affects the symbiotic interaction. *Plant Journal* 51(3): 390-405.

Silva C.; Shvaleva A.; Almeida M.; Chaves M.M.; Pereira J.S. (2007) Responses to chilling of two *Eucalyptus globulus* clones with contrasting drought resistance. *Functional Plant Biology* 34: 793-802.

Skopelitis D.S.; Paranychianakis M.P.; Kouvarakis A.; Stephanou E.G.; Roubelakis-Angelakis K.A. (2007) The Isoenzyme Seven of Tobacco NAD(H)-Dependent Glutamate Dehydrogenase Exhibits High Deaminating and Low Aminating Activities in vivo. *Plant Physiology* 145: 1726-1734.

Slama I.; Ghnaya T.; Hessini K.; Messedi D.; Savoure A.; Abdelly C. (2007) Comparative study of mannitol and PEG osmotic stress effects on growth, proline and soluble sugars accumulation in *Sesuvium portulacastrum*. *Environmental and Experimental Botany* 61: 10-17.

Slama I.; Ghnaya T.; Messedi D.; Hessini K.; Labidi N.; Savoure A.; Abdelly C. (2007) Effect of sodium chloride on the response of the halophyte species *Sesuvium portulacastrum* grown in mannitol-induced water stress. *Journal of Plant Research* 120: 291-299.

Smith-Espinoza C.; Bartels D.; Phillips J. (2007) GFP as a tool to monitor LEA gene promoter activity in the desiccation tolerant plant *Lindernia brevidens*. *Plant Cell Reports* 26 (9): 1681-1688.

Sokol A.; Kwiatkowska A.; Jerzmanowski A.; Prymakowska-Bosak M. (2007) Up-regulation of stress-inducible genes in tobacco and *Arabidopsis* cells in response to abiotic stresses and ABA treatment correlates with dynamic changes in histone H3 and H4 modifications. *Planta* 227: 245-254.

Steinhauser D.; Kopka J. (2007) Methods, applications and concepts of metabolite profiling: primary metabolism. In: (Fornie AR, Baginsky S, eds.) *Plant systems biology. Experimentia Supplementum Vol. 97*. Basel: Verlag Birkhäuser, 171-194.

Sumner L.W.; Amberg A.; Barrett D.; Beale M.H.; Beger R.; Daykin C.A.; Fan T.W.M.; Fiehn O.; Goodacre R.; Griffin J.L.; Hankemeier T.; Hardy N.; Harnly J.; Higashi R.; Kopka J.; Lane A.N.; Lindon J.C.; Marriott P.; Nicholls A.W. (2007) Proposed minimum reporting standards for chemical analysis. *Metabolomics* 3(3): 211-221.

Swiezewski S.; Crevillen P.; Liu F.; Ecker J.R.; Jerzmanowski A.; Dean C. (2007) Small RNA-mediated chromatin silencing directed to the 3' region of the *Arabidopsis* gene encoding the developmental regulator, FLC. *Proc. Natl. Acad. Sci. USA* 104: 3633-3638.

Tabart J.; Kevers C.; Sipel A.; Pincemail J.; Defraigne J.O.; Dommès J. (2007) Optimisation of extraction of phenolics and antioxidants from black currant leaves and buds and of stability during storage. *Food Chemistry* 105: 1268-1275.

Testerink C.; Larsen P.B.; Does D.; Himbergen J.A.J.; Munnik T. (2007) Phosphatidic acid binds to and inhibits the activity of *Arabidopsis* CTR1. *Journal of Experimental Botany* 14:

3905–3914.

- Tuteja N.** (2007) Abscisic acid and abiotic stress signalling. *Plant Signaling & Behavior* 2 (3): 135-138.
- Tuteja N.** (2007) How pea phospholipase C functions in salinity stress tolerance.) *Agricultural and environmental Biotechnology. Virginia Tec USA: ISB News Report*, 4-7.
- Tuteja N.** (2007) Mechanisms of high salinity tolerance in plants. *Methods in Enzymology: Osmosensing and Osmosignaling* 428: 419-438.
- Tuteja N.** (2007) Pea heterotrimeric G-proteins confer salinity and heat stress tolerance.) *Agricultural and environmental Biotechnology. Virginia Tech USA: ISB News Report*, 7-9.
- Tuteja N.; Mahajan S.** (2007) Calcium signaling network in plants: an overview. *Plant Signaling & Behavior* 2(2): 79-85.
- Tuteja N.; Mahajan S.** (2007) Further characterization of calcineurin B-like protein and its interacting partner CBL-interacting protein kinase from *Pisum sativum*. *Plant Signaling & Behavior* 2(5): 358-361.
- Vaculkova M. - Libantova J. M.M.B.** (2007) A modified low copy number binary vector pUN for *Agrobacterium*-mediated plant transformation. *Biologia Plantarum* 51 (3): 538-540.
- Van Leeuwen W.; Vermeer J.E.; Gadella T.W.J.; Munnik T.** (2007) Visualisation of phosphatidylinositol 4,5-bisphosphate in the plasma membrane of suspension-cultured tobacco BY-2 cells and whole *Arabidopsis* seedlings. *Plant Journal* 52: 1014-1026.
- Verslues P.E.; Batelli G.; Grillo S.; Agius F.; Yong-Sig K.; Zhu J.; Agarwal M.; Zhu J.K.** (2007) Interaction of SOS2 with NDPK2 and catalases reveals a point of connection between salt stress and H₂O₂ signaling in *Arabidopsis*. *Molecular and Cellular Biology* 27(22): 7771-7780.
- Vlad F.; Spano T.; Vlad D.; Daher F.B.; Haji A.E.; Fragostefanakis S.; Kalaitzis P.** (2007) Involvement of *Arabidopsis* prolyl 4 hydroxylases in hypoxia and anoxia and mechanical wounding. *Plant Signaling & Behaviour* 2: 368-369.
- Vlad F.; Spano T.; Vlad D.; Daher F.B.; Haji A.E.; Kalaitzis P.** (2007) *Arabidopsis* prolyl 4 hydroxylases are differentially expressed in response to hypoxia and anoxia and mechanical wounding. *Physiologia Plantarum* 130: 471-483.
- Vucica Y.; Diener D.R.; Rosenbaum J.L.; Koutoulis A.** (2007) An ultrastructural and biochemical analysis of a new *Chlamydomonas* mutant affecting the central pair apparatus. *Protoplasma* 232: 121-130.
- Weber A.P.M.; Fischer K.** (2007) Making the connections - the crucial role of metabolite transporters at the interface between chloroplast and cytosol. *FEBS Letters* 581: 2215-2222.
- Welter L.; Gkturk-Baydar N.; Akkurt M.; Maul E.; Eibach R.; Töpfer R.; Zyprian E.** (2007) Genetic mapping and localization of quantitative trait loci affecting fungal disease resistance

and leaf morphology in grapevine (*Vitis vinifera* L). *Molecular Breeding* 20: 359-374.

- Yamaguchi K.; Takahashi Y.; Berberich T.; Imai A.; Takahashi T.; Michael A.; Kusano T.** (2007) A protective role for the polyamine spermine against drought stress in Arabidopsis. *Biochemical and Biophysical Research Communications* 352: 486-490.
- Yazici I.; Turkan I.; Sekmen A.H.; Demiral T.** (2007) is achieved by enhanced antioxidative system, lower level of lipid peroxidation and proline accumulation. *Environmental and Experimental Botany* 61(1): 49-57.
- Yin X.J.; Volk S.; Ljung K.; Mehlmer N.; Dolezal K.; Hanano S.; Davis S.J.; Schmelzer E.; Sandberg G.; Pickart C.; Teige M.; Palme K.; Bachmair A.** (2007) Ubiquitin Lysine 63 chain forming ligases regulate apical dominance in Arabidopsis. *Plant Cell* 19: 1898-1911.
- Zapryanova N.; Moyankova D.; Popandova S.; Georgieva T.; Djilianov D.** (2007) Biological melioration of solonetz soils using various poplar genotypes. *Soil Science Agrochemistry and Ecology* 2: 17-23.
- Zapryanova N.; Moyankova D.; Popandova S.; Georgieva T.; Djilianov D.** (2007) Physiological reaction of poplar genotypes during biological melioration of solonetz soils. *Plant Sciences (Bulg.)* 44: 473-480.
- Zhang Y.; Yang C.; Li Y.; Zheng N.; Chen H.; Zhao Q.; Gao T.; Guo H.; Xie Q.** (2007) SDIR1 is a RING finger E3 ligase that positively regulates stress-responsive abscisic acid signaling in Arabidopsis. *Plant Cell* 19: 1912-1929.
- Zonia L.; Munnik T.** (2007) Life under pressure: Hydrostatic pressure in cell growth and function. *Trends in Plant Science* 12: 90-97.
- Zuther E.; Koehl K.; Kopka J.** (2007) Comparative metabolome analysis of the salt response in breeding cultivars of rice. In: (Jenks MA, Hasegawa PM, Jain SM, eds.) *Advances in molecular breeding toward drought and salt tolerant crops*. Berlin, Heidelberg, New York: Springer-Verlag, 285-315.
- 2008**
- Acioli-Santos B.; Sebastiana M.; Pessoa F.; Sousa L.; Figueiredo A.; Fortes A.M.; Balde A.; Maia L.C.; Pais M.S.** (2008) Fungal transcript pattern during pre-infection stage (12h) of ectomycorrhiza formed between *Pisolithus tinctorius* and *Castanea sativa* roots, using cDNA microarrays. *Current Microbiology* 57(6): 620-625.
- Angelini R.; Tisi A.; Rea G.; Chen M.M.; Botta M.; Federico R.; Cona A.** (2008) Involvement of Polyamine Oxidase in Wound Healing. *Plant Physiology* 146: 162-117.
- Anisimoviene N.; Jankauskiene J.; Novickiene L.** (2008) Actualities in plant cold acclimation Sodininkyste ir dareininkyste. *Mokslo darbai* 27(2): 99-109.
- Bacso R.; Janda T.; Galiba G.; Papp I.** (2008) Restricted transpiration may not result in improved drought tolerance in competitive environment for water. *Plant Science* 174: 200-204.

- Bacso R.; Janda T.; Galiba G.; Papp I.** (2008) Study of the fitness from the cbp20 mutant Arabidopsis. *Cereal Research Communications* 36: 2091-2094.
- Bacso R.; Molnar A.; Papp I.; Janda T.** (2008) Photosynthetic behaviour of Arabidopsis plants with a Cap Binding Protein 20 mutation under water stress conditions. *Photosynthetica* 46(2): 268-272.
- Barrero J.M.; Rodriguez P.L.; Quesada V.; Alabadí D.; Blazquez M.A.; Boutin J.P.; Marion-Poll A.; Ponce M.R.; Micol J.L.** (2008) The ABA1 gene and carotenoid biosynthesis are required for late skotomorphogenic growth in Arabidopsis thaliana. *Plant Cell Environment* 31: 227-234.
- Bartels D.; Hussain S.S.** (2008) Current status and implications of engineering drought tolerance in plants using transgenic approaches. *CAB Reviews: Perspectives in Agriculture Veterinary*: 1-17.
- Bekesiova I.; Hraska S.; Libantova J.; Moravčíková J.; Matusikova I.** (2008) Heavy-metal stress induced accumulation of chitinase isoforms in plants. *Molecular Biology Reports* 35: 579-588.
- Berdasco M.; Alcazar R.; García-Ortiz M.V.; Ballestar E.; Fernandez A.F.; Roldan-Arjona T.; Tiburcio A.F.; Altabella T.; Buisine N.; Quesneville H.; Baudry A.; Lepiniec L.; Alaminos M.; Rodríguez R.; Lloyd A.; Colot V.; Bender J.; Cana.** (2008) Promoter DNA hypermethylation and gene repression in undifferentiated Arabidopsis cells. *PLoS One* 3(10): e3306.
- Boettcher C.; Centeno D.; Freitag J.; Hoefgen R.; Koehl K.; Kopka J.; Kroymann J.; Matros A.; Mock H.P.; Neumann S.; Pfalz M.; Roepenack-Lahaye E.; Schauer N.; Trenkamp S.; Zubriggen M.; Fernie A.R.** (2008) Teaching (and learning from) metabolomics - The 2006 PlantMetaNet ETNA metabolomics research school. *Physiologia Plantarum* 132 (2): 136-149.
- Bor M.; Ozdemir F.; Turkan I.** (2008) Gaba and hormone response of sesame plant (*Sesamum indicum* L) under different abiotic stresses. *Photosynthesis Research* 91(2-3): 321-322.
- Carpentier S.C.; Panis B.; Vertommen A.; Swennen R.; Sergeant K.; Renaut J.; Laukens K.; Witters E.; Samyn B.; Devreese B.** (2008) Proteome analysis of non-model plants - a challenging but powerful approach. *Mass Spectrometry Reviews* 27: 354-377.
- Cartiaux F.; Contesto C.; Gallou A.; Desbrosses G.; Kopka J.; Taconnat L.; Renou J.P.; Touraine B.** (2008) Simultaneous interaction of Arabidopsis thaliana with Bradyrhizobium sp strain ORS278 and Pseudomonas syringae pv tomato DC3000 leads to complex transcriptome changes. *Molecular Plant Microbe Interactions* 21(2): 244-259.
- Carvalho M.; Pinheiro C.; Bartels D.; Ricardo C.; Chaves M.** (2008) Dehydrins in *Lupinus albus*: pattern of protein accumulation and gene expression in response to drought. *Functional Plant Biology* 35: 85-91.
- Castro C.B.; Whittock L.D.; Whittock S.P.; Leggett G.; Koutoulis A.** (2008) DNA sequence and expression variation of hop (*Humulus lupulus* L.) valerophenone synthase (VPS), a key gene

in bitter acid biosynthesis. *Annals of Botany* 102: 265-273.

- Chien M.F.; Huang C.C.; Kusano T.; Endo G.** (2008) Facilities for transcription and mobilization of an exon-less bacterial group ?intron nested in transposon TnMERI1. *Gene* 408: 164-171.
- Craig W.; Lenzi P.; Scotti N.; De Palma M.; Saggese P.; Carbone V.; McGrath Curran N.; Magee A.M.; Medgyesy P.; Kavanagh T.A.; Dix P.J.; Grillo S.; Cardi T.** (2008) Transplastomic tobacco plants expressing a fatty acid desaturase gene exhibit altered fatty acid profiles and improved cold tolerance. *Transgenic Research* 17(5): 769-782.
- Cuevas J.C.; Lopez-Cobollo R.; Alcazar R.; Koncz C.; Altabella T.; Salinas J.; Tiburcio A.F.; Ferrando A.** (2008) Putrescine is involved in Arabidopsis freezing tolerance and cold acclimation by regulating ABA levels in response to low temperature. *Plant Physiology* 148: 1094-1105.
- Cummings I.G.; Foo E.; Weller J.L.; Reid J.B.; Koutoulis A.** (2008) Blue and red photoselective shade cloths modify pea height through altered blue irradiance perceived by the cry1 photoreceptor. *Journal of Horticultural Science & Biotechnology* 83: 663-667.
- Datta K.; Tuteja N.; Datta S.K.** (2008) Transgenic research on plant abiotic stress and nutrition improvement of food derived from plants. In: (Rivera-Domínguez M, Rojas RT, Ernesto Tiznado-Hernández M, eds.) *A Transgenic Approach in Plant Biochemistry and Physiology*, 181-215.
- De Palma M.; Grillo S.; Massarelli I.; Costa A.; Balogh G.; Vigh L.; Leone A.** (2008) Regulation of desaturase gene expression, changes in membrane lipid composition and freezing tolerance in potato plants. *Molecular Breeding* 21(1): 15-26.
- Desclos M.; Dubousset L.; Etienne P.; Le Caherec F.; Satoh H.; Bonnefoy J.; Ourry A.; Avice J.** (2008) A proteomic profiling approach to reveal a novel role of Brassica napus drought 22 kD/water-soluble Chlorophyll-binding protein in young leaves during nitrogen remobilization induced by stressful conditions. *Plant Physiology* 147: 1830-1844.
- Echeverría M.; Scambato A.A.; Sannazzaro A.I.; Maiale S.J.; Ruiz O.A.; Menéndez O.A.** (2008) Phenotypic plasticity with respect to salt stress response by *Lotus glaber*: the role of AM fungal and rhizobial symbionts. *Mycorrhiza* 18: 317-329.
- Eisenhut M.; Huege J.; Schwarz D.; Bauwe H.; Kopka J.; Hagemann M.** (2008) Metabolome phenotyping of inorganic carbon limitation in cells of the wild type and photorespiratory mutants of the cyanobacterium *Synechocystis* sp strain PCC 6803. *Plant Physiology* 148(4): 2109-2120.
- Else M.A.; Janowiak F.; Atkinson C.J.; Jackson M.B.** (2008) Root signals and stomatal closure in relation to photosynthesis chlorophyll a fluorescence and adventitious rooting of flooded tomato plants. *Annals of Botany* 103(2): 313-323.
- Fabro G.; Di Rienzo J.A.; Voigt C.A.; Savchenko T.; Dehesh K.; Somerville S.; Alvarez M.E.** (2008) Genome-wide expression profiling Arabidopsis at the stage of *Golovinomyces*

cichoracearum haustorium formation. *Plant Physiology* 146: 1421-1439.

- Fait A.; Fromm H.; Walter D.; Galili G.; Fernie A.R.** (2008) Highway or byway: the metabolic role of the GABA shunt in plants. *Trends in Plant Science* 13: 14-19.
- Fast-Seefeldt H.; Viereck N.; Hoffmann-Larsen F.; Balling-Engelsen S.; Wollenweber B.** (2008) Bulk carbohydrate grain filling of barley beta-glucan mutants studied by ¹H HR MAS NMR. *Cereal Chemistry* 85(4): 571-577.
- Figueiredo A.; Fortes A.M.; Ferreira S.; Sebastiana M.; Choi Y.H.; Sousa L.; Acioli-Santos B.; Pessoa F.; Verpoorte R.; Pais M.S.** (2008) Transcriptional and metabolic profiling of grape (*Vitis vinifera* L) leaves unravel possible innate resistance against pathogenic fungi. *Journal of Experimental Botany* 59: 3371-3381.
- Fluch S.; C O.C.; Tauber S.; Stierschneider M.; Kopecky D.; Reichenauer T.G.; Matusíková I.** (2008) Transcriptomic changes in wind-exposed poplar leaves are dependent on developmental stage. *Planta* 228: 757-764.
- Fortes A.M.; Santos F.; Choi Y.H.; Silva M.S.; Figueiredo A.; Sousa L.; Pessoa F.; Acioli-Santos B.; Sebastiana M.; Palme K.; Malhó R.; Verpoorte R.; Pais M.S.** (2008) Organogenic nodule development in hop (*Humulus lupulus* L.): transcript and metabolic responses. *BMC Genomics* 9: 445.
- Franck T.; Kohnen S.; Grulke S.; Neven P.; Goutman Y.; Peters F.; Pirotte B.; Deby-Dupont G.; Serteyn D.** (2008) Inhibitory effect of curcuminoids and tetrahydrocurcuminoids on equine activated neutrophils and myeloperoxidase activity. *Physiology Research* 57: 577-587.
- Furini A.; Varotto S.; Borgato L.; Hilbricht T.; Sgaramella V.; Salamini F.; Bartels D.** (2008) Plant resurrection, SINE retrotransposons and siRNA: environment-mediated evolution of desiccation tolerance. *New Phytologist* 179 (3): 877-887.
- Garriz A.; Gonzalez M.E.; Marina M.; Ruiz O.A.; Pieckenstain F.** (2008) Polyamine metabolism during sclerotial development of *Sclerotinia sclerotiorum*. *Micological Research* 112: 414-422.
- Gaveliene V.; Kazlauskienė D.; Novickienė L.** (2008) Vegetative cone development and reproductive organs formation in oilseed rape. *Vagos* 81(34): 17-22.
- Ghars M.A.; Parre E.; Debez A.; Bordenave M.; Richard L.; Leport L.; Bouchereau A.; Saviouré A.; Abdelly C.** (2008) Comparative salt tolerance analysis between *Arabidopsis thaliana* and *Thellungiella halophila*, with special emphasis on K⁺/Na⁺ selectivity and proline accumulation. *Journal of Plant Physiology* 165: 588-599.
- Gonorazky G.; Laxalt A.M.; Testerink C.; Munnik T.; Canal L.** (2008) Phosphatidylinositol 4-phosphate accumulates extracellularly upon xylanase treatment in tomato cell suspensions. *Plant Cell & Environment* 31: 1051-1062.
- Gumze A.; Spoljarevic M.; Kerovec D.; Teklic T.; Kovacevic V.** (2008) The influences of genotype and soil on maize nutritional status and free proline content. *Cereal Research*

Communications 36(5): 1279-1282.

- Guy C.L.; Kaplan F.; Kopka J.; Selbig J.; Hinch D.** (2008) Metabolomics of temperature stress. *Physiologia Plantarum* 132(2): 220-235.
- Guy C.L.; Kopka J.; Moritz T.** (2008) Plant metabolomics coming of age. *Physiologia Plantarum* 132(2): 113-116.
- Hanano S.; Stracke R.; Jakoby M.; Merkle T.; Domagalska M.A.; Weisshaar B.; Davis S.J.** (2008) A systematic survey in *Arabidopsis thaliana* of transcription factors that modulate circadian parameters. *BMC Genomics* 9: 182.
- Harvest T.; Brown P.H.; Fist A.; Gracie A.; Gregory D.; Koutoulis A.** (2008) The latex capacity of opium poppy capsules is fixed early in capsule development and is not a major determinant in morphine yield. *Annals of Applied Biology* 154: 251-258.
- Hengherr S.; Heyer A.G.; Köhler H.R.; Schill R.O.** (2008) Trehalose and Anhydrobiosis: Existence and accumulation of trehalose in different tardigrade species during desiccation. *FEBS Journal* 275: 281-288.
- Hernandez-Lucero E.; Ruiz O.A.; Jimenez-Bremont J.F.** (2008) Effect of salt stress on polyamine metabolism in two bean cultivars. *Plant Stress* 2: 96-102.
- Hoehenwarter W.; Dongen J.T.; Wienkoop S.; Steinfath M.; Hummel J.; Erban A.; Sulpice R.; Regierer B.; Kopka J.; Geigenberger P.; Weckwerth W.** (2008) A rapid approach for phenotype-screening and database independent detection of cSNP/protein polymorphism using mass accuracy precursor alignment. *Proteomics* 8(20): 4214-4225.
- Hummel J.; Selbig J.; Walther D.; Kopka J.** (2008) The Golm metabolome database: a database for GC-MS based metabolite profiling. In: (Nielsen J, Jewett M, eds.) *Metabolomics a powerful tool in systems biology. Topics in Current Genetics Vol. 18. Berlin, Heidelberg, New York: Springer-Verlag*, 75-96.
- Ishihara T.; Sekine K.T.; Hase S.; Kanayama Y.; Seo S.; Ohashi Y.; Kusano T.; Shibata D.; Shah J.; Tahahashi H.** (2008) Overexpression of the *Arabidopsis thaliana* EDS5 gene enhances resistance to viruses. *Plant Biology* 10: 451-461.
- Jubault M.; Hamon C.; Gravot A.; Lariagon C.; Delourme R.; Bouchereau A.; Manzanares-Dauleux M.J.** (2008) Differential regulation of root arginine catabolism and polyamine metabolism in clubroot-susceptible and partially resistant *Arabidopsis* genotypes. *Plant Physiology* 146: 2008-2019.
- Kazlauskienė D.; Gavelienė V.; Novickienė L.** (2008) Control of anthesis and formation of reproductive organs in spring rape (*Brassica napus* L.). *Biologija* 54 (4): 279-282.
- Kempa S.; Krasensky J.; Dal Santo S.; Kopka J.; Jonak C.** (2008) A central role of abscisic acid in stress-regulated carbohydrate metabolism. *PLoS One* 3(12): e3935.
- Kevers C.; Hausman J.-F.; Faivre-Rampant O.; Dommès J.; Gaspar T.** (2008) What we have learned about the physiology of adventitious rooting of woody plants and how it relates to improvements in the practice. In: (Niemi K, Scagel D, eds.) *Adventitious root formation in*

forest trees and woody horticultural crops - from genes to applications.

- Kieffer P.; Domes J.; Hoffmann L.; Hausman J.F.; Renaut J.** (2008) Quantitative changes in protein expression of cadmium-exposed poplar plants. *Proteomics* 8: 2514-2530.
- Kieffer P.; Planchon S.; Oufir M.; Ziebel J.; Domes J.; Hoffmann L.; Hausman J.F.; Renaut J.** (2008) Combining proteomics and metabolite analyses to unravel cadmium stress-response in poplar leaves. *Journal of Proteome Research* 8: 400-417.
- Knizewski L.; Ginalski K.; Jerzmanowski A.** (2008) Snf2 proteins in plants: gene silencing and beyond. *Trends in Plant Science* 13: 557-565.
- Kolmos E.; Schoof H.; Plümer M.; Davis S.J.** (2008) Structural insights into the function of the core-circadian factor TIMING OF CAB2 EXPRESSION 1 (TOC1). *Journal Circadian Rhythms* 6: 3.
- Korn M.; Peterek S.; Mock H.P.; Heyer A.G.; Hinch D.K.** (2008) Heterosis in the freezing tolerance, and sugar and flavonoid contents of crosses between *Arabidopsis thaliana* accessions of widely varying freezing tolerance. *Plant Cell & Env.* 813-827.
- Kusano H.; Testerink C.; Vermeer J.E.M.; Tsuge T.; Oka A.; Shimada H.; Munnik T.; Aoyama T.** (2008) The *Arabidopsis* phosphatidylinositol phosphate 5-kinase PIP5K3 is a key regulator for root hair tip growth. *Plant Cell* 20: 367-380.
- Kusano T.; Berberich T.; Tateda C.; Takahashi Y.** (2008) Polyamines: essential factor for growth and survival. *Planta* 228: 367-381.
- Leblanc A.; Renault H.; Lecourt J.; Etienne P.; Deleu C.; Le Deunff E.** (2008) Elongation changes of exploratory and root hair systems induced by ACC and AVG affect nitrate uptake and the BnNrt2.1 and BnNrt1.1 transporters genes expression in *Brassica napus*. *Plant Physiology* 146: 1928-1940.
- Lepié J.C.; Dauwe R.; Morreel K.; Storme V.; Lapierre C.; Pollet B.; Naumann A.; Kang K.Y.; Kim H.; Ruel K.; Lefèbvre A.; Joseleau J.P.; Grima-Pettenati J.; De Rycke R.; Andersson-Gunneras S.; Erban A.; Fehrle I.; Petit-Conil M.; Kopk.** (2008) Downregulation of cinnamoyl-coenzyme A reductase in poplar: Multiple-level phenotyping reveals effects on cell wall polymer metabolism and structure. *Plant Cell* 19 (11): 3669-3691.
- Less H.; Galili G.** (2008) Principal transcriptional programs regulating plant amino acid metabolism in response to abiotic stresses. *Plant Physiology* 147: 316-930.
- Levine L.H.; Kasahara H.; Kopka J.; Erban A.; Fehrle I.; Kaplan F.; Zhao W.; Littell R.C.; Guy C.; Wheeler R.; Sager J.; Mills A.; Levine H.G.** (2008) Physiologic and metabolic responses of wheat seedlings to elevated and super-elevated carbon dioxide. *Advances in Space Research* 42: 1917-1928.
- Luedemann A.; Strassburg K.; Erban A.; Kopka J.** (2008) TagFinder for the quantitative analysis

of gas chromatography - mass spectrometry (GC-MS) based metabolite profiling experiments. *Bioinformatics* 24 (5): 732 -737.

Lyngved R.; Renaut J.; Hausman J.F.; Iversen T.H.; Hvoslef-Eide A.K. (2008) Embryo-specific proteins in *Cyclamen persicum* analysed with 2-D DIGE. *Journal of Plant Growth Regulation* 24: 353-369.

Mahajan S.; Pandey G.; Tuteja N. (2008) Calcium and Salt Stress Signaling in Plants: Shedding Light on SOS Pathway. *Archives of Biochemistry and Biophysics* 47: 146-158.

Maiale S.; Marina M.; Sanchez D.H.; Pieckenstain F.L.; Ruiz O.A. (2008) In vitro and In vivo inhibition of plant polyamine oxidase activity by polyamine analogues. *Phytochemistry* 69: 2552-2558.

Marco F.; Calvo E.; Carrasco P.; Sanz M.C. (2008) Analysis of molecular markers in three different tomato cultivars exposed to ozone stress. *Plant Cell Reports* 27: 197-207.

Marina M.; Maiale S.; Rossi F.R.; Rivas E.; Garriz A.; Ruiz O.A.; Pieckenstain F.L. (2008) Apoplastic polyamine oxidation plays different roles in local responses of tobacco to infection by the necrotrophic fungus *Sclerotinia sclerotiorum* and the biotrophic bacterium *Pseudomonas viridiflava*. *Plant Physiology* 147: 2164-2178.

Marina M.; Maiale S.J.; Rossi F.R.; Rivas E.L.; Garriz A.; Ruiz O.A.; Pieckenstain F.L. (2008) Apoplastic polyamine oxidation plays different roles in local responses of tobacco to infection by the necrotrophic fungus *Sclerotinia sclerotiorum* and the biotrophic bacterium *Pseudomonas viridiflava*. *Plant Physiology* 147: 2164-2178.

Mishra K.B.; R. Gopal R. (2008) Detection of nickel-induced stress using laser-induced fluorescence signatures from leaves of wheat seedlings. *International J Remote Sens.* 29: 157-173.

Moschou P.N.; Delis I.D.; Paschalidis K.A.; Roubelakis-Angelakis K.A. (2008) Transgenic Tobacco Plants Over-Expressing Polyamine Oxidase Are Not Able to Cope with Oxidative Burst Generated by Abiotic Factors. *Physiologia Plantarum* 133(2): 140-156.

Moschou P.N.; Paschalidis K.A.; Delis I.D.; Andriopoulou A.H.; Lagiotis G.D.; Roubelakis-Angelakis K.A. (2008) Salinity-Induces Exodus of Spermidine into the Apoplast which is Catabolized by Polyamine Oxidase and the Size of H₂O₂ Signature Depicts Tolerance Responses. *Plant Cell* 20: 1708-1724.

Moschou P.N.; Paschalidis K.A.; Roubelakis-Angelakis K.A. (2008) Plant Polyamine Catabolism: The state-of the art. *Plant Signaling & Behavior* 3(12): 1061-1067.

Moschou P.N.; Sanmartin M.; Andriopoulou A.H.; Rojo E.; Sanchez-Serrano J.J.; Roubelakis-Angelakis K.A. (2008) Bridging the Gap Between Plant and Mammalian Polyamine Catabolism: A Novel Peroxisomal Polyamine Oxidase Responsible for a Full Back-Conversion Pathway in *Arabidopsis thaliana*. *Plant Physiology* 147: 1845-1857.

Naija S.; Elloumi N.; Jbir N.; Ammar S.; Kevers C. (2008) Anatomical and biochemical changes

during adventitious rooting of apple rootstocks MM 106 cultured in vitro. *Comptes-Rendus Biologie 331*: 518-525.

- Oufir M.; Legay S.; Nicot N.; Van Moer K.; Hoffmann L.; Renaut J.; Hausman J.F.; Evers D.** (2008) Gene expression in potato during cold exposure: changes in carbohydrate and polyamine metabolisms. *Plant Science 175*: 839-852.
- Papdi C.; Abraham E.; Prathiba Joseph M.; Popescula C.; Koncz C.; Szabados L.** (2008) Functional identification of Arabidopsis stress regulatory genes with the Controlled cDNA Overexpression System, COS. *Plant Physiology 147*: 528-542.
- Paradikovic N.; Teklic T.; Vinkovic T.; Balicevic R.; Lepedus H.** (2008) Influence of K excessive soil and plant supply on Ca deficiency in pepper fruits (*Capsicum annuum* L.). *Cereal Research Communications 36* (5): 1563-1566.
- Phillips J.; Bartels D.** (2008) Dehydration tolerance in resurrection plants: Dried Flowers. *The Biochemist 30* (4): 14-17.
- Phillips J.; Fischer E.; Baron M.; Dries N.; Facchinelli F.; Kutzer M.; Rahmzadeh R.; Remus D.; Bartels D.** (2008) *Lindernia brevidens* - a novel desiccation tolerant vascular plant, endemic to ancient tropical rain forest. *Plant Journal 54*(5): 938-948.
- Pinheiro C.; Carvalho C.d.; Bartels D.; Ricardo C.P.; Chaves M.M.** (2008) Dehydrins in *Lupinus albus*: pattern of protein accumulation in response to drought. *Functional Plant Biology 35*: 85.
- Renaut J.; Hausman J.F.; Bassett C.; Artlip T.; Witters E.; Wisniewski M.** (2008) Quantitative proteomic analysis of short photoperiod and low temperature responses in bark tissues of peach (*Prunus persica* L. Batsch). *Tree Genetics and Genomes 4*: 589-600.
- Rodriguez-Kessler M.; Ruiz O.A.; Maiale S.J.; Ruiz-Herrera J.; Jimenez-Bremont J.F.** (2008) Alteration in polyamine metabolism of maize tumors induced by *Ustilago maydis*. *Plant Physiology and Biochemistry 46*: 805-814.
- Roehrig H.; Schmidt J.; Colby T.; Harzen A.; Facchinelli F.; Bartels D.** (2008) Analysis of the *Craterostigma plantagineum* desiccation phosphoproteome using a modified metal oxide affinity chromatography procedure. *Proteomics 8*: 3548-3560.
- Rubio S.; Whitehead L.; Larson T.R.; Graham I.A.; Rodriguez P.L.** (2008) The Coenzyme A biosynthetic enzyme phosphopantetheine adenylyltransferase plays a crucial role for plant growth, salt/osmotic-stress resistance and seed lipid storage. *Plant Physiology 148*: 546-556.
- Saez A.; Rodrigues A.; Santiago J.; Rubio S.; Rodríguez P.L.** (2008) HAB1-SWI3B interaction reveals a link between abscisic acid signaling and putative SWI/SNF chromatin remodeling complexes. *Plant Cell 20*: 2972-2988.
- Saglam A.; Kadioglu A.; Terzi R.; Saruhan N.** (2008) Leaf rolling and biochemical changes in them in post-stress emerging *Ctenanthe setosa* plants under drought conditions. *Russian*

Journal of Plant Physiology 55: 48-53.

- Salinas C.** (2008) Regulatory mechanisms involved in cold acclimation response. *Spanish Journal of Agricultural Research* 6: 211-220.
- Sampaio P.N.; Fortes A.M.; Cabral J.M.S.; Pais M.S.; Fonseca L.P.** (2008) Production and Characterization of Recombinant Cyprosin 1 B in *Saccharomyces cerevisiae* (W303-1A) strain. *Journal of Biosciences & Bioengineering* 105 (4): 305-312.
- Sanchez D.H.; Lippold F.; Redestig H.; Hannah M.; Erban K.K.; Udvardi M.K.** (2008) Integrative functional genomics of salt acclimation in the model legume *Lotus japonicus*. *Plant Journal* 53 (6): 973-987.
- Sanchez D.H.; Redestig H.; Kraemer U.; Udvardi M.K.; Kopka J.** (2008) Metabolome-ionome-biomass interactions: What can we learn about salt stress by multiparallel phenotyping? *Plant Signaling & Behavior* 3(8): 598-600.
- Sanchez D.H.; Siahpoosh M.R.; Roessner U.; Udvardi M.K.; Kopka J.** (2008) Plant metabolomics reveals conserved and divergent metabolic responses to salinity. *Physiologia Plantarum* 132 (2): 209-219.
- Schapiro A.L.; Voigt B.; Jasi J.; Rosado A.; Lopez-Cobollo R.; Menzet D.; Salinas J.; Mancuso S.; Valpuesta V.; Baluska F.; Botella M.A.** (2008) Arabidopsis Synaptotagmin 1 is required for the maintenance of plasma membrane integrity and cell viability. *Plant Cell* 20: 3374-3388.
- Schweighofer A.; Meskiene I.** (2008) Protein phosphatases in plant growth signalling pathways. *Plant Growth Signalling L. Boegre: Springer-Verlag*, pp.
- Schweighofer A.; Meskiene I.** (2008) Regulation of stress hormones jasmonates and ethylene by MAPK pathways in plants. *Molecular BioSystems* 4: 799 - 803.
- Sivritepe N.; Sivritepe H.O.; Turkan I.; Bor M.; Ozdemir F.** (2008) NaCl pre-treatments mediate salt adaptation in melon plants through antioxidative system. *Seed Science & Technology* 36(2): 360-370.
- Slama I.; Ghnaya T.; Savoure A.; Abdelly C.** (2008) Combined effects of long-term salinity and soil drying on growth, water relations, nutrient status and proline accumulation of *Sesuvium portulacastrum*. *C.R. Biologies* 331: 442-451.
- Slavikova S.; Ufaz S.; Avin-Wittenberg T.; Levanony H.; Galili G.** (2008) An autophagy-associated atg8 protein is involved in the responses of Arabidopsis seedlings to hormonal controls and abiotic stresses. *Journal of Experimental Botany* 59: 4029-4043.
- Soitamo A.; Piippo M.; Allahverdiyeva Y.; Battchikova N.; Aro E.M.** (2008) Light has a specific role in modulating Arabidopsis gene expression at low temperature. *BMC Plant Biology* 8.
- Strehmel N.; Hummel J.; Erban A.; Strassburg K.; Kopka J.** (2008) Estimation of retention index thresholds for compound matching using routine gas chromatography-mass spectrometry based metabolite profiling experiments. *Journal of Chromatography B* 871:

- Szekely G.; Abraham E.; Cseplo A.; Rigo G.; Zsigmond L.; Csiszar J.; Ayaydin F.; Strizhov N.; Jasik J.; Schmelzer E.; Koncz C.; Szabados L.** (2008) Duplicated P5CS genes of Arabidopsis perform distinct regulatory functions in proline biosynthesis. *Plant Journal* 53: 11-28.
- Tabart J.; Kevers C.; Pincemail J.; Defraigne J.O.; Dommes J.** (2008) Comparative antioxidant capacities of phenolic compounds measured by various tests. *Food Chemistry* 113(4): 1226-1233.
- Tateda C.; Ozaki R.; Onodera Y.; Takahashi Y.; Yamaguchi K.; Berberich T.; Koizumi N.; Kusano T.** (2008) NtbZIP60 - an endoplasmic reticulum-localized transcription factor plays a role in defence response against bacterial pathogen in *Nicotiana tabacum*. *Journal of Plant Research* 121(6): 603-611.
- Teklic T.; Engler M.; Cesar V.; Lepedus H.; Paradikovic N.; Loncaric Z.; Stolfa I.; Marotti T.; Mikac N.; Zarkovic N.** (2008) Influence of excess copper on lettuce (*Lactuca sativa* L.) grown in soil and nutrient solution. *Journal of Food, Agriculture & Environment* 6: 439-444.
- Teklic T.; Hancock J.T.; Engler M.; Paradikovic N.; Cesar V.; Lepedus H.; Stolfa I.; Beslo D.** (2008) Antioxidative responses in radish (*Raphanus sativus* L) plants stressed by copper and lead in nutrient solution and soil. *Acta Biologica Cracoviensia Series Botanica* 50: 79-86.
- Testerink C.; Larsen P.B.; McLoughlin F.; Does D.; Himbergen J.A.J.; Munnik T.** (2008) PA: a stress-induced short cut to switch-on ethylene signalling by switching-off CTR1? *Plant Signaling & Behavior* 3: 681-683.
- Tuteja N.; Sopory S.K.** (2008) Chemical signaling under abiotic stress environment in plants. *Plant Signaling & Behavior* 3(8): 525-536.
- Tuteja N.; Sopory S.K.** (2008) Plant Signaling in Stress: G-Protein Coupled Receptors, Heterotrimeric G-Proteins and Signal Coupling via Phospholipases. *Plant Signaling & Behavior* 3(2): 79-86.
- Vahisalu T.; Kollist H.; Wang Y.F.; Chan W.Y.; Valerio G.; Lamminmäki A.; Brosche M.; Moldau M.; Desikan R.; Schroeder J.I.; Kangasjarvi J.** (2008) SLAC1 is required for plant guard cell S-type anion channel function in stomatal closure. *Nature* 452: 487-491.
- Vinkovic T.; Paradikovic N.; Lepedus H.; Stolfa I.; Teklic T.** (2008) Oxidative stress in radish plants grown on soils with different Cu and Pb level. *Cereal Research Communications* 36 (5): 1519-1522.
- Zhang X.; Wollenweber B.; Jiang D.; Liu F.L.; Zhao J.** (2008) Water deficits and heat shock effects on photosynthesis of a transgenic Arabidopsis thaliana constitutively expressing ABP9 - a bZIP transcription factor. *Journal of Experimental Botany* 59: 839-848.
- Zonia L.; Munnik T.** (2008) Still life: Pollen tube growth observed in millisecond resolution. *Plant Signaling & Behavior* 3: 836-838.

- Zonia L.; Munnik T.** (2008) Visualization of vesicle trafficking dynamics in growing tobacco pollen tubes and identification of zones of endocytosis and exocytosis. *Journal of Experimental Botany* 59: 861-873.
- Zsigmond L.; Rigo G.; Szekely G.; Otvos K.; Szarka A.; Darula Z.; Medzihradsky K.F.; Koncz C.; Koncz Z.; Szabados L.** (2008) The Arabidopsis PPR domain protein SAS1 connects abiotic stress responses to mitochondrial electron transport. *Plant Physiology* 146: 1721-1733.
- Zur I.; Dubas E.; Golemic E.; Szechynska-Hebda M.; Janowiak F.; Wedzony M.** (2008) Stress-induced changes important for effective androgenic induction in isolated microspore culture of triticale (xTriticosecale Wittm.). *Plant Cell Tissue & Organ Culture* 94: 319-328.
- Ahlfors R.; Brosche M.; Kollist H.; Kangasjärvi J.** (2009) Nitric oxide modulates ozone-induced cell death, hormone biosynthesis and gene expression in Arabidopsis thaliana. *Plant Journal* 58: 1-12.

2009

- Ahsan N.; Renaut J.; Komatsu S.** (2009) Recent development in the application of proteomics to the analysis of plant responses to heavy metals. *Proteomics* 9: 2602-2621.
- Allwood J.W.; Erban A.; Koning S.; Dunn W.B.; Luedemann A.; Lommen A.; Kay L.; Loescher R.; Kopka J.; Goodacre R.** (2009) Inter-laboratory reproducibility of fast gas chromatography–electron impact–time of flight mass spectrometry (GC–EI–TOF/MS) based plant metabolomics. *Metabolomics* 5(4): 479-496.
- Angelovici R.; Fait A.; Zhu X.; Szymanski J.; Feldmesser E.; Fernie A.R.; Galili G.** (2009) Deciphering transcriptional and metabolic networks associated with lysine metabolism during Arabidopsis seed development. *Plant Physiology* 151: 2058-2072.
- Archacki R.; Sarnowski T.; Puzio J.; Brzeska K.; Prymasowska-Bosak M.; Koncz C.; Jerzmanowski A.** (2009) Genetic analysis of functional redundancy of BRM ATPase and ATSWI3C subunits of Arabidopsis SWI/SNF chromatin remodelling complexes. *Planta* 229: 1281-1292.
- Arisz S.A.; Testerink C.; Munnik T.** (2009) Plant PA signalling via diacylglycerol kinase. *Biochimica and Biophysica Acta* 1791: 869-875.
- Avisar D.; Eilenberg H.; Keller M.; Reznik N.; Segal M.; Sneh B.; Zilberstein A.** (2009) The *Bacillus thuringiensis* delta-endotoxin Cry1C as a potential bioinsecticide in plants. *Plant Science* 176: 315- 324.
- Bargmann B.O.R.; Arisz S.A.; Laxalt A.M.; Riet B.; Schooten B.; Merquiol E.; Testerink C.; Haring M.A.; Bartels D.; Munnik T.** (2009) Multiple PLDs required for high salinity- and water deficit tolerance in plants. *Plant Cell Physiology* 50: 78-89.
- Bargmann B.O.R.; Laxalt A.M.; Riet B.; Testerink C.; Merquiol E.; Mosblech A.; Leon-Reyes A.H.; Pieterse C.M.; Haring M.A.; Heilmann I.; Bartels D.; Munnik T.** (2009)

Reassessing the role of phospholipase D in the Arabidopsis wounding response. *Plant Cell Environment* 32: 837-850.

Bartels D.; Phillips J. (2009) Transgenic plants and their application in plant production - drought stress tolerance in crop plants. *Biotechnology in Agriculture and Forestry* 64: 139-157.

Blanco F.; Salinas P.; Cecchini N.M.; Jordana X.; Van Hummelen P.; Alvarez M.E.; Holuigue L. (2009) Early genomic responses to salicylic acid in Arabidopsis. *Plant Molecular Biology* 70: 79-102.

Boikoglou E.; Davis S.J. (2009) Signaling in the Circadian Clock. In: (*Baluska F, Mancuso S, eds.*) *Signaling in Plants*. Berlin, Heidelberg: Springer Publishers, 261-285.

Brini F.; Amara I.; Feki K.; Hanin M.; Khoudi H.; Masmoudi K. (2009) Physiological and molecular analyses of seedlings of two Tunisian durum wheat (*Triticum turgidum* L. subsp. Durum [Desf.]) varieties showing contrasting tolerance to salt stress. *Acta Physiologia Plantarum* 31: 145-154.

Cassan F.; Maiale S.; Masciarelli O.; Vidal O.; Luna V.; Ruiz O.A. (2009) Cadaverine production by *Azospirillum brasilense* and their possible role in plant growth promotion and osmotic stress mitigation. *European Journal of Soil Biology* 45 (1): 12-19.

Cecchini N.; Monteoliva M.; Blanco F.; Holuigue L.; Alvarez M.E. (2009) Features of basal and race-specific defences in photosynthetic Arabidopsis thaliana suspension cultured cells. *Molecular Plant Pathology* 10: 305-310.

Chaves I.; Pinheiro C.; Paiva J.A.P.; Planchon S.; Sergeant K.; Renaut J.; Graca J.A.; Costa G.; Coelho A.V.; Ricardo C.P.P. (2009) Proteomic evaluation of wound-healing processes in potato (*Solanum tuberosum* L.) tuber tissue. *Proteomics* 9: 4154-4175.

Cosio C.; Vuillemin L.; De Meyer M.; Kevers C.; Penel C.; Dunand C. (2009) An anionic class III peroxidase from zucchini may regulate hypocotyl elongation through its auxin oxidase activity. *Planta* 229: 823-836.

Cuevas J.C.; Lopez-Cobollo R.; Alcazar R.; Koncz C.; Altabella T.; Salinas J.; Tiburcio A.F.; Ferrando A. (2009) Putrescine as a signal to modulate the indispensable ABA increase under cold stress. *Plant Signaling & Behavior* 4: 219-220.

Darwish E.; Testerink C.; Khaleil M.; El-Shihy O.; Munnik T. (2009) Phospholipid-signaling responses in salt stressed rice leaves. *Plant Cell Physiology* 50: 986-997.

Davis A.M.; Hall A.; Millar A.J.; Darrah C.; Davis S.J. (2009) Streamlined sub-protocols for floral-dip transformation and selection of transformants in Arabidopsis thaliana. *Plant Methods* 5: 3.

Davis S.J. (2009) Integrating hormones into the floral-transition pathway of Arabidopsis thaliana. *Plant Cell Environment* 32: 1201-1210.

Delaplace P.; Fauconnier M.L.; Sergeant K.; Dierick J.F.; Oufir M.; van der Wal F.; America A.H.P.; Renaut J.; Hausman J.F.; du Jardin P. (2009) Potato (*Solanum tuberosum* L.) tuber ageing induces changes in the proteome and antioxidants associated with the sprouting

pattern. *Journal of Experimental Botany* 60: 1273 - 1288.

- Dguimi H.; Debouba M.; Ghorbel M.H.; Gouia H.** (2009) Tissue-specific cadmium accumulation and its effects on nitrogen metabolism in tobacco (*Nicotiana tabaccum* Bureley v Fb9). *Comptes rendus biologies* 332: 58-68.
- Estrella M.J.; Munoz S.; Soto M.J.; Ruiz O.A.; Sanjuan J.** (2009) Genetic diversity and host range of rhizobia nodulating *Lotus tenuis* in typical soils of the Salado River Basin (Argentina). *Applied and Environmental Microbiology* 75 (4): 1088-1098.
- Fast-Seefeldt H.; Wollenweber B.; Møller-Jespersen B.; Balling-Engelsen S.** (2009) Accumulation of mixed linkage (1-3)(1-4)-D-glucan during grain filling in barley – A vibrational spectroscopy study. *Journal of Agricultural and Food Chemistry* 49: 24-31.
- Fattorini L.; Falasca G.; Kevers C.; Mainero-Rocca L.; Zadra C.; Altamura M.M.** (2009) Adventitious rooting and xylogenesis are enhanced by methyl jasmonate in tobacco thin cell layers. *Planta* 231 (1): 55-68.
- Frei U.; Wollenweber B.; Lübberstedt T.** (2009) PolyMin: software for identification of the minimum number of polymorphisms required for haplotype and genotype differentiation. *BMC Bioinformatics* 10: 176.
- Fuehrs H.; Goetze S.; Specht A.; Erban A.; Gallien S.; Heintz D.; Van Dorselaer A.; Kopka J.; Braun H.P.; Horst W.J.** (2009) Characterization of leaf apoplastic peroxidases and metabolites in *Vigna unguiculata* in response to toxic manganese supply and silicon. *Journal of Experimental Botany* 60(6): 1663-1678.
- Fujii H.; Chinnusamy V.; Rodrigues A.; Rubio S.; Antoni R.; Park S.Y.; Cutler S.R.; Sheen J.; Rodriguez P.L.; Zhu J.K.** (2009) In vitro reconstitution of an ABA signalling pathway. *Nature* 462(7273): 660-664.
- Gudleifsson B.E.** (2009) Ice encasement damage on grass crops and alpine plants in Iceland - Impact of climate change. In: (*Gusta LW, Wisniewski ME, Tanino KK, eds.*) *Plant Cold Hardiness - From the Laboratory to the Field*: CABI, 163-172.
- Hernandez G.; Valdes-Lopez O.; Ramirez M.; Goffard N.; Weiller G.; Aparicio-Fabre R.; Fuentes S.I.; Erban A.; Kopka J.; Udvardi M.K.; Vance C.P.** (2009) Global changes in the transcript and metabolic profiles during symbiotic nitrogen fixation in phosphorus-stressed common bean plants. *Plant Physiology* 151(3): 1221-1238.
- Houda M.D.; Mohamed D.; Habib G.M.; Houda G.** (2009) Tissue-specific cadmium accumulation and its effects on nitrogen metabolism in tobacco (*Nicotiana tabaccum* Bureley v Fb9). *Comptes rendus biologies* 332: 58-68.
- Jiang D.; Yue H.; Wollenweber B.; Tan W.; Dai T.; Jing Q.; Cao W.** (2009) Effects of post-anthesis drought and waterlogging on accumulation of high molecular-weight glutenin subunits and glutenin macro polymer content in wheat grain. *Journal of Agronomy and Crop Science* 195 (2): 89-97.
- Joshi A.; Dang H.Q.; Vaid N.; Tuteja N.** (2009) Isolation of high salinity stress tolerant genes from

Pisum sativum by random overexpression in *Escherichia coli* and their functional validation. *Plant Signaling & Behavior* 4(5): 400-412.

- Kalamaki M.S.; Alexandrou D.; Lazari D.; Merkouropoulos G.; Fotopoulos V.; Pateraki I.; Carrillo A.L.; Cavetas M.R.; Aggelis A.; Kanellis A.K.** (2009) in *Arabidopsis thaliana* results in high ornithine levels and increased tolerance in salt and drought stresses. *Journal of Experimental Botany* 60: 1859-1871.
- Kempa S.; Hummel J.; Schwemmer T.; Pietzke M.; Strehmel N.; Wienkoop S.; Kopka J.; Weckwerth W.** (2009) An automated GCxGC-TOF-MS protocol for batch-wise extraction and alignment of mass isotopomer matrixes from differential C-13-labelling experiments: a case study for photoautotrophic-mixotrophic grown *Chlamydomonas reinhardtii* cells. *Journal of Basic Microbiology* 49(1): 82-91.
- Kevers C.; Hausman J.F.; Faivre-Rampant O.; Dommes J.; T. G.** (2009) What we have learned about the physiology of adventitious rooting of woody plants and how it relates to improvements in the practice. In: (Niemi K, ed.) *Adventitious root formation in forest trees and woody horticultural crops - from genes to applications*. Kerala, India: Research Signpost, 209-225.
- Kieffer P.; Schröder P.; Dommes J.; Hoffmann L.; Renaut J.; Hausman J.F.** (2009) Proteomic and enzymatic response of poplar to cadmium stress. *Journal of Proteomics* 72: 379-396.
- Kleinow T.; Himbert S.; Krenz B.; Jeske H.; Koncz C.** (2009) NAC domain transcription factor ATAF1 interacts with SNF1-related kinases and silencing of its subfamily causes severe developmental defects in *Arabidopsis*. *Plant Science* 177: 360-370.
- Kleinriders A.; Pogoda H.M.; Irlenbusch S.; Smyth N.; Koncz C.; Hammerschmidt M.; Br,ning J.C.** (2009) PLRG1 is an essential regulator of cell proliferation and apoptosis during vertebrate development and tissue homeostasis. *Molecular and Cellular Biology* 29: 3173-3185.
- Kolmos E.; Nowak M.; Werner M.; Fischer K.; Schwarz G.; Mathews S.; Schoof H.; Nagy F.; Bujnicki J.M.; Davis S.J.** (2009) Integrating ELF4 into the circadian system through combined structural and functional studies. *HFSP Journal* 3: 350-366.
- Kumar M.; Yadav V.; Tuteja N.; Johri A.K.** (2009) Antioxidant enzyme activities in maize plants colonized with *Piriformospora indica*. *Microbiology* 155: 780-790.
- Kuramata M.; Masuya S.; Takahashi Y.; Kitagawa E.; Inoue C.; Ishikawa S.; Youssefian S.; Kusano T.** (2009) Novel cysteine-rich peptides from *Digitaria ciliaris* and *Oryza sativa* enhance tolerance to cadmium by limiting its cellular accumulation. *Plant Cell Physiology* 50: 106-117.
- Kusano T.; Tateda C.; Berberich T.; Takahashi Y.** (2009) Voltage-dependent anion channels: their roles in plant defence and cell death. *Plant Cell Reports* 28: 1301-1308.
- Libantova J.; Kamarainen T.; Moravcikova J.; Matusikova I.; Salaj J.** (2009) Detection of chitinolytic enzymes with different substrate specificity in tissues of intact sundew (*Drosera rotundifolia* L.). *Molecular Biology Reports* 36 (5): 851-856.

- Livingston D.P., III; Hinch D.K.; Heyer A.G.** (2009) Fructan and its relationship to abiotic stress tolerance in plants. *Cellular & Molecular Life Sciences* 66: 2007-2023.
- Lugan R.; Niogret M.F.; Kervazo L.; Larher F.R.; Kopka J.; Bouchereau A.** (2009) Metabolome and water status phenotyping of Arabidopsis under abiotic stress cues reveals new insight into ESK1 function. *Plant Cell and Environment* 32(2): 95-108.
- Malenovsky Z.; Mishra K.B.; Zemek F.; Rascher U.; Nedbal L.** (2009) Scientific and technical challenges in remote sensing of plant canopy reflectance and fluorescence. *Journal of Experimental Botany* 60 (11): 2987-3004.
- Matsuda T.; Kuramata M.; Takahashi Y.; Kitagawa E.; Youssefian S.; Kusano T.** (2009) A novel plant cysteine-rich peptide family conferring cadmium tolerance to yeast and plants. *Plant Signaling & Behavior* 4: 419-421.
- Mhadhbi H.; Fotopoulos V.; Djebalin N.; Jebara M.; Polidoros A.N.; Aouani M.E.** (2009) Behaviours of Medicago truncatula-Sinorhizobium meliloti symbioses under osmotic stress in relation with symbiotic partner input: effects on nodule functioning and protection. *Journal of Agronomy and Crop Science* 195: 225-231.
- Miller G.; Honig A.; Stein H.; Suzuki N.; Mittler R.; Zilberstein A.** (2009) Unraveling delta1-pyrroline-5-carboxylate-proline cycle in plants by uncoupled expression of proline oxidation enzymes. *Journal of Biological Chemistry* 284: 26482-26492.
- Mishkind M.; Vermeer J.E.M.; Darwish E.; Munnik T.** (2009) Heat stress activates phospholipase D and triggers PIP2 accumulation at the plasma membrane and nucleus. *Plant Journal* 60: 10-21.
- Mishra A.; Matous K.; Mishra K.B.; Nedbal L.** (2009) Towards discrimination of plant species by machine vision. Advanced statistical analysis of chlorophyll fluorescence transients. *Journal of Fluorescence* 19 (5): 905-913.
- Mitsuya Y.; Takahashi Y.; Berberich T.; Miyazaki A.; Matsumura H.; Takahashi H.; Terauchi R.; Kusano T.** (2009) Spermine signalling plays a significant role in the defence response of Arabidopsis thaliana to cucumber mosaic virus. *Journal of Plant Physiology* 166: 626-643.
- Mrosk C.; Forner S.; Hause G.; Küster H.; Kopka J.; Hause B.** (2009) Composite Medicago truncatula plants harbouring Agrobacterium rhizogenes-transformed roots reveal normal mycorrhization by Glomus intraradices. *Journal of Experimental Botany* 60(13): 3797-3807.
- Munnik T.; Testerink C.** (2009) Plant Phospholipid Signalling - 'in a nutshell'. *Journal of Lipid Research* 50: S260-S265.
- Munnik T.; Vermeer J.E.M.** (2009) Osmotic stress-induced phosphoinositide and inositol phosphate signalling in plants. *Plant Cell and Environment* 33 (4): 655-669.
- Naija S.; Elloumi N.; Ammar S.; Kevers C.; Dommes J.** (2009) Involvement of polyamines in the adventitious rooting of micropropagated shoots of the apple rootstock MM106. *In Vitro Cellular & Developmental Biology – Plant* 45(1): 83-91.

- Nar H.; Saglam A.; Terzi R.; Varkonyi Z.; Kadioglu A.** (2009) Leaf rolling and photosystem II efficiency in *Ctenanthe setosa* exposed to drought stress. *Photosynthetica* 47(3): 429-436.
- Novickiene L.; Miliuviene L.; Gaveliene V.; Kazlauskiene D.; Butkute B.** (2009) The biotechnological tools of winter oilseed rape (*Brassica napus* L.) productivity and quality control. *GCIRC Bulletin* 25: 2.
- Ondo Ovono P.; Kevers C.; Dommès J.** (2009) The role of sugars on in vitro tuber formation and sprouting in yam (*Dioscorea cayenensis*-*D. rotundata* complex). *Plant Cell Tissue & Organ Culture* 99: 55-59.
- Papdi C.; Joseph M.P.; Perez-Salamo I.; Vidal S.; Szabados L.** (2009) Genetic technologies for the identification of plant genes controlling environmental stress responses. *Functional Plant Biology* 36: 696-720.
- Park S.Y.; Fung P.; Nishimura N.; Jensen D.R.; Fujii H.; Zhao Y.; Lumba S.; Santiago J.; Rodrigues A.; Chow T.S.; Alfred S.E.; Bonetta D.; Finkelstein R.; Provart N.J.; Desveaux D.; Rodriguez P.L.; McCourt P.; Zhu S.** (2009) Abscisic acid inhibits type 2C protein phosphatases via the PYR/PYL family of ABA-binding START proteins. *Science* 324: 1068-1071.
- Pedreschi R.; Franck C.; Lammertyn J.; Erban A.; Kopka J.; Hertog M.; Verlinden B.; Nicolai B.** (2009) Metabolic profiling of Conference pears under low oxygen stress. *Postharvest Biology and Technology* 51(2): 123-130.
- Renaut J.; Bohler S.; Hausman J.F.; Hoffmann L.; Sergeant K.; Jolivet Y.; Dizengremel P.** (2009) The impact of atmospheric composition on plants -A case study of ozone and poplar. *Mass Spectrometry Reviews* 28: 495-516.
- Renaut J.; Planchon S.; Oufir M.; Hausman J.F.; Hoffmann L.; Evers D.** (2009) Identification of Proteins From Potato leaves Submitted To Chilling Temperature. In: (*Gusta L, Wisniewski M, Tanino K, eds.*) *Plant Cold Hardiness: from the laboratory to the field*. CAB International Publishing, 279-292.
- Rodrigues A.; Santiago J.; Rubio S.; Saez A.; Osmont K.S.; Gadea J.; Hardtke C.S.; Rodriguez P.L.** (2009) The short-rooted phenotype of the *brevis radix* mutant partly reflects root ABA hypersensitivity. *Plant Physiology* 149: 1917-1928.
- Rodriguez A.; Maiale S.; Menéndez A.; Ruiz O.A.** (2009) Polyamine oxidase activity contributes to sustain maize leaf elongation under saline stress. *Journal of Experimental Botany* 60: 4249-4262.
- Rodriguez-Milla M.A.; Salinas J.** (2009) Prefoldins 3 and 5 play an essential role in Arabidopsis tolerance to salt stress. *Molecular Plant* 2: 526-534.
- Rubio S.; Rodrigues A.; Saez A.; Dizon M.B.; Galle A.; Kim T.; Santiago J.; Flexas J.; Schroeder J.I.S.; Rodriguez P.L.** (2009) Triple loss-of-function of protein phosphatases type 2C leads to partial constitutive response to endogenous ABA. *Plant Physiology* 150:

1345-1355.

- Sagor G.H.M.; Cong R.Z.; Berberich T.; Takahashi H.; Takahashi Y.; Kusano T.** (2009) Spermine signaling in defense reaction against avirulent viral pathogen in *Arabidopsis thaliana*. *Plant Signaling & Behavior* 4: 316-318.
- Sanchez D.H.; Szymanski J.; Erban A.; Udvardi M.K.; Kopka J.** (2009) Mining for robust transcriptional and metabolic responses to long-term salt stress: a case study on the model legume *Lotus japonicus*. *Plant Cell and Environment* 33 (4): 468-480.
- Santiago J.; Dupeux F.; Round A.; Antoni R.; Park S.Y.; Jamin M.; Cutler S.R.; Rodriguez P.L.; Marquez J.A.** (2009) The abscisic acid receptor PYR1 in complex with abscisic acid. *Nature* 462: 665-668.
- Santiago J.; Rodrigues A.; Saez A.; Rubio S.; Antoni R.; Park S.Y.; Dupeux F.; Marquez J.A.; Cutler S.R.; Rodriguez P.L.** (2009) Modulation of drought resistance by the abscisic acid-receptor PYL5 through inhibition of clade A PP2Cs. *Plant Journal* 60: 575-588.
- Saruhan N.; Terzi R.; Saglam A.; Kadioglu A.** (2009) The Relationship between Leaf Rolling and Ascorbate-Glutathione Cycle Enzymes in Apoplastic and Symplastic Areas of *Ctenanthe setosa* Subjected to Drought Stress. *Biological Research* 42: 315-326.
- Seckin B.; Sekmen A.H.; Turkan I.** (2009) An enhancing effect of exogenous mannitol on the antioxidant enzyme activities in roots of wheat under salt stress. *Journal of Plant Growth Regulation* 28(1): 12-20.
- Sergeant K.; Pinheiro C.; Hausman J.F.; Ricardo C.P.; Renaut J.** (2009) Taking advantage of non-specific trypsin cleavages for the identification of seed storage proteins in cereals. *Journal of Proteome Research* 8: 3182-3190.
- Shellie R.A.; Poynter S.D.H.; Li J.; Gathercole J.L.; Whittock S.P.; Koutoulis A.** (2009) Varietal characterisation of hop (*Humulus lupulus* L.) by gas chromatography – mass spectrometry analysis of hop cone extracts. *Journal of Separation Science* 32 (21): 3720-3725.
- Sunderlikova E.S., I; Matusikova I.; Wilhelm E.** (2009) Isolation and characterization of an embryo-specific Em-like gene of pedunculate oak (*Quercus robur* L.) and its temporal and spatial expression patterns during somatic and zygotic embryo development. *Trees- Structure and Function* 23 (1): 135-144.
- Sunderlikova V.; Salaj J.; Kopecky D.; Salaj T.; Wilhem E.; Matusikova I.** (2009) Dehydrin genes and their expression in recalcitrant oak (*Quercus robur*) embryos. *Plant Cell Reports* 28 (7): 1011-1021.
- Takahashi Y.; Berberich T.; Kanzaki H.; Matsumura H.; Saitoh H.; Kusano T.; Terauchi R.** (2009) Serine palmitoyltransferase, the first step enzyme in sphingolipid biosynthesis, is involved in non-host resistance. *Molecular Plant-Microbe Interactions* 22: 31-38.
- Takahashi Y.; Berberich T.; Kanzaki H.; Matsumura H.; Saitoh H.; Kusano T.; Terauchi R.** (2009) Unraveling the roles of sphingolipids in plant innate immunity. *Plant Signaling &*

Behavior 4: 536-538.

- Tateda C.; Yamashita K.; Takahashi F.; Kusano T.; Takahashi Y.** (2009) Plant voltage-dependent anion channels are involved in host defense against *Pseudomonas cichorii* and in Bax-induced cell death. *Plant Cell Reports 28: 41-51.*
- Terzi R.; Saruhan N.; Saglam A.; Nar H.; Kadioglu A.** (2009) Photochemical Efficiency of Photosystem II (Functionality) and Some Antioxidant Enzyme Changes during Leaf Rolling in Post-Stress Emerging *Ctenanthe setosa* Exposed To Water Deficit Stress. *Acta Biologica Hungarica 60(4): 417-431.*
- Tuteja N.** (2009) Cold, salt and drought stress. In: (Hirt H, ed.) *Plant Stress Biology: From Genomics towards System Biology, Vol. Weinheim. Weinheim, Germany: WILEY-VCH Verlag GmbH & Co.*
- Tuteja N.** (2009) Integrated Calcium Signaling in Plants. In: (Baluska F, Mancuso S, eds.) *Signaling in Plants. Heidelberg, Germany: Springer-Verlag, 29-49.*
- Tuteja N.** (2009) Overexpression of a helicase imparts high salinity tolerance to plants. *Methods Molecular Biology 587: 377-387.*
- Tuteja N.** (2009) Signaling through G protein coupled receptors. *Plant Signaling & Behavior 4(10): 1-6.*
- Tuteja N.; Ahmad P.; Panda B.B.; Tuteja R.** (2009) Genotoxic Stress in Plants: Shedding Light on DNA Damage, Repair and DNA Repair Helicases. *Mutation Research Review 681: 134-149.*
- Tzin V.; Malitsky S.; Aharoni A.; Galili G.** (2009) Expression of a bacterial bi-functional chorismate mutase/prephenate dehydratase modulates primary and secondary metabolism associated with aromatic amino acids in *Arabidopsis*. *Plant Journal 60: 156-167.*
- Vainonen J.P.; Vener A.V.; Aro E.M.** (2009) Determination of in vivo Protein Phosphorylation in Photosynthetic Membranes. In: (Pflannschmidt T, ed.) *Plant signal transduction, Vol. 479: Humana Press.*
- Van Dongen J.T.; Froehlich A.; Ramirez-Aguilar S.J.; Schauer N.; Fernie A.R.; Erban A.; Kopka J.; Clark J.; Langer A.; Geigenberger P.** (2009) Transcript and metabolite profiling of the adaptive response to mild decreases in oxygen concentration in the roots of *Arabidopsis* plants. *Annals of Botany 103(2): 269-280.*
- Vermeer J.E.M.; Thole J.M.; Goedhart J.; Nielsen E.; Munnik T.; Gadella T.W.J.** (2009) Visualisation of PtdIns4P dynamics in living plant cells. *Plant Journal 57: 356-372.*
- Vlad F.; Rubio S.; Rodrigues A.; Sirichandra C.; Belin C.; Robert N.; Leung J.; Rodriguez L.M.** (2009) Protein Phosphatases 2C Regulate the Activation of the Snf1 Related Kinase OST1 by Abscisic Acid in *Arabidopsis*. *Plant Cell 21(10): 3071-3084.*
- Wang L.; Shang H.; Liu Y.; Zheng M.; Wu R.; Phillips J.; Bartels D.; Deng X.** (2009) A role for a cell wall localized glycine-rich protein in dehydration and rehydration of the resurrection

plant *Boea hygrometrica*. *Plant Biology* 12: 1-13.

- Whittock S.; Leggett G.; Jakse J.; Javornik B.; Carling J.; Kilian A.; Matthews P.D.; Probasco G.; Henning J.A.; Darby P.; Cerenak A.; Koutoulis A.** (2009) Use of Diversity Array Technology (DART) for genotyping of *Humulus lupulus* L. *Acta Horticulturae* 668: 41-46.
- Willige B.; Kutzer M.; Tebartz F.; Bartels D.** (2009) Subcellular localization and enzymatic properties of differentially expressed transketolase genes isolated from the desiccation tolerant resurrection plant *Craterostigma plantagineum*. *Planta* 229 (3): 659-666.
- Winning H.; Viereck N.; Wollenweber B.; Larsen F.H.; Jacobsen S.; Søndergaard I.; Engelsen S.B.** (2009) Exploring abiotic stress on asynchronous protein metabolism in single kernels of wheat studied by NMR spectroscopy and chemometrics. *Journal of Experimental Botany* 60: 291-300.
- Wrzaczek M.; Brosche M.; Kollist H.; Kangasjärvi J.** (2009) Arabidopsis GRI is involved in the regulation of cell death induced by extracellular ROS. *Proceedings of the National Academy of Sciences of the United States of America* 106: 5412-5417.
- Zonia L.; Munnik T.** (2009) Uncovering hidden treasures in pollen tube growth mechanics. *Trends in Plant Science* 14: 318-327.

2010

- Abraham E.; Hourton-Cabassa C.; Erdei L.; Szabados L.** (2010) Methods for determination of proline in plants. *Methods in Molecular Biology* 639: 317-331.
- Alcazar R.; Altabella T.; Marco F.; Bortolotti C.; Reymond M.; Koncz C.; Carrasco P.; Tiburcio A.F.** (2010) Polyamines - molecules with regulatory functions in plant abiotic stress tolerance. *Planta* 231: 1237-1249.
- Alcazar R.; Planas J.; Saxena T.; Zarza X.; Bortolotti C.; Cuevas J.C.; Bitrian M.; Tiburcio A.F.; Altabella T.** (2010) Putrescine accumulation confers drought tolerance in transgenic *Arabidopsis* plants overexpressing the homologous Arginine decarboxylase 2 gene. *Plant Physiology and Biochemistry* 48: 547-552.
- Alvarez M.E.; Nota F.; Cambiagno D.** (2010) Epigenetic control of plant immunity. *Molecular Plant Pathology* 11 (4): 563-576.
- Angelovici R.; Fait A.; Fernie A.R.; Galili G.** (2010) A seed high-lysine trait is negatively associated with the tca cycle and slows down *Arabidopsis* seed germination. *New Phytologist* 89: 148-159.
- Angelovici R.; Galili G.; Fernie A.R.; Fait A.** (2010) Seed desiccation: A bridge between maturation and germination. *Trends in Plant Science* 15: 211-218.
- Balcerowicz M.; Fittinghoff K.; Wirthmueller L.; Maier A.; Fackendahl P.; Fiene G.; Koncz C.; Hoecker U.** (2010) The repressors of photomorphogenesis SPA1 and SPA2 function divergently in light-grown *Arabidopsis* seedlings and are de-stabilized after light exposure. *Plant Journal* 65: 712-723.

- Bansal K.C.; Lenka S.K.; Tuteja N.** (2010) Abscisic Acid in Abiotic Stress Tolerance. In: (*Tuteja N, Gill SS, Tuteja R, eds.*) *Omics and Plant Abiotic Stress*. USA: Bentham Science Publishers, 143-150.
- Biesaga-Koscielniak J.; Koscielniak J.; Filek M.; Marcinska I.; Krekule J.; Machackova I.; Kubon M.** (2010) The effect of plant growth regulators and their interaction with electric current on winter wheat development. *Acta Physiologia Plantarum* 32: 987-995.
- Brini F.; Saibi W.; Amara I.; Gargouri A.; Masmoudi K.; Hanin M.** (2010) The wheat dehydrin DHN-5 exerts a heat-protective effect on beta-glucosidase and glucose oxidase activities. *Bioscience, Biotechnology, and Biochemistry* 74 (5): 1050-1054.
- Ci D.; Jiang D.; Wollenweber B.; Dai T.; Jing Q.; Cao W.** (2010) Genetic Variance in Cadmium Tolerance and Accumulation in Wheat Materials Differing in Ploidy and Genome at Seedling Stage. *Journal of Agronomy and Crop Science* 196: 302-310.
- Ci D.; Jiang D.; Wollenweber B.; Dai T.; Jing Q.; Cao W.** (2010) Cadmium stress in wheat seedlings: growth, cadmium accumulation and photosynthesis. *Acta Physiologiae Plantarum* 32: 365-373.
- Deak C.; Jeger K.; Fabian A.; Papp I.** (2010) Low and high (pszi) ways from post-transcriptional RNA regulation to drought tolerance. *Plant Signaling & Behavior* 5 (12): 1539-1542.
- Dermatsev V.; Weingarten-Baror C.; Resnick N.; Gadkar V.; Winger S.; Kolotilin I.; Mayzlish-Gati E.; Zilberstein A.; Koltai H.; Kapulnik Y.** (2010) Microarray analysis and functional tests suggest the involvement of expansins in the early stages of symbiosis of the arbuscular mycorrhizal fungus *Glomus intraradices* on tomato (*Solanum lycopersicum*). *Molecular Plant Pathology* 11: 121-135.
- Domagalska M.A.; Nagy F.; Davis S.J.** (2010) Genetic analyses between gibberellin, abscisic acid, and brassinosteroids in the control of flowering time in *Arabidopsis thaliana*. *PLoS One* 5 (11): e14012.
- Durand T.; Sergeant K.; Planchon S.; Carpin S.; Label P.; Morabito D.; Hausman J.F.; Renaut J.** (2010) Metal stress in poplar: Leaf and cambial proteome changes induced by Cd²⁺ or Zn²⁺ in *Populus tremula* x Palba (717-1B4 genotype). *Proteomics* 10: 349-368.
- Eilenberg H.; Pnini-Cohen S.; Rahamim Y.; Sionov E.; Segal E.; Carmeli S.; Zilberstein A.** (2010) Induced production of antifungal naphthoquinones in the pitchers of the carnivorous plant *Nepenthes khasiana*. *Journal of Experimental Botany* 61: 911-922.
- Escaray F.; Collado Rosique F.J.; Scambato A.A.; Bilenca D.; Carrasco Sorlí P.M.; Matarredona A.M.; Ruiz O.A.; Menéndez A.B.** (2010) Evaluation of a technical revegetation action performed on foredunes at the Valencian Devesa de la Albufera, Valencia, Spain. *Land Degradation and Development* 21 (3): 239-249.
- Eshel A.; Zilberstein A.; Alekparov C.; Eilam T.; Oren I.; Waisel Y.** 2010. Biomass production by desert halophytes will not compete with conventional agriculture. *WSEAS Int. Conf. on ENERGY & ENVIRONMENT (EE'10)*. Cambridge, UK.

- Espasandin F.D.; Collavino M.M.; Luna C.V.; Paz R.C.; Tarrago J.R.; Ruiz O.A.; Mroginski L.A.; Sansberro P.A.** (2010) Agrobacterium tumefaciens-mediated transformation of *Lotus tenuis* and regeneration of transgenic lines. *Plant Cell, Tissue and Organ Culture* 102: 181-189.
- Filek M.; Biesaga-Koscielniak J.; Marcinska I.; Cvikrova M.; Machackova I.; Krekule J.** (2010) Contents of polyamines during vernalization in wheat and the effect of zearalenone. *Biologia Plantarum* 54 (3): 483-487.
- Fortes A.M.; Santos F.; Pais M.S.** 2010.) Organogenic Nodule Formation in Hop: a tool to study morphogenesis in plants with biotechnological and medicinal applications. *Journal of Biomedicine and Biotechnology* DOI 10.1155/2010/583691.
- Fotopoulos V.; Tanou G.; Ziogas V.; Molassiotis A.** (2010) Involvement of AsA/DHA and GSH/GSSG ratios in gene and protein expression and in the activation of defense mechanisms under abiotic stress conditions. In: (Anjum NA, Chan MT, Umar S, eds.) *Ascorbate-Glutathione Pathway and Stress Tolerance in Plants. The Netherlands: Springer-Verlag, 265-302.*
- Gill S.S.; Tuteja N.** (2010) Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. *Plant Physiology and Biochemistry* 48: 909-930.
- Gill S.S.; Tuteja N.** (2010) Polyamines and abiotic stress tolerance in plants. *Plant Signaling & Behaviour* 5 (1): 26-33.
- Giri M.; Jaggi N.; Neena; Lal J.; Singh N.; Jaiswal R.M.P.; Mishra K.B.; Gopal R.** (2010) Spectroscopic studies of fluorescent azo dye-direct yellow 27 in aqueous solutions. *Atti della Fondazione Giorgio Ronchi LXV* (2): 235-244.
- Henriques R.; Magyar Z.; Monardes A.; Khan S.; Zalejski C.; Orellana J.; Szabados L.; de la Torre C.; Koncz C.; Bögre L.** (2010) *Arabidopsis* S6 kinase mutants display chromosome instability and altered RBR1-E2F pathway activity. *EMBO Journal* 29: 2979-2993.
- Joshi A.; Vaid N.; Dang H.Q.; Tuteja N.** (2010) Pea lectin receptor-like kinase promotes high salinity stress tolerance in bacteria and expresses in response to stress in planta. *Glycoconjugate Journal* 27 (1): 133-150.
- Kooijman E.E.; Testerink C.** (2010) Phosphatidic acid - an electrostatic / hydrogen bond switch? In: (Munnik T, ed.) *Lipid Signalling in plants. Heidelberg: Springer, 203-222.*
- Kumar M.; Kumar H.; Tuteja N.; Dua M.; Johri A.K.** 2010.) Development of electroporation-mediated transformation system for axenically cultivable root endophyte fungus *Piriformospora indica*. *Protocol Exchange* doi:10.1038/nprot.2010.57.
- Lang-Mladek C.; Popova O.; Kiok K.; Berlinger M.; Rakic B.; Aufsatz W.; Jonak C.; Hauser M.T.; Luschnig C.** (2010) Transgenerational inheritance and resetting of stress-induced loss of epigenetic gene silencing in *Arabidopsis*. *Molecular Plant* 3: 594-602.

- Lehmann S.; Funck D.; Szabados L.; Rentsch D.** (2010) Proline metabolism and transport in plant development. *Amino Acids* 39: 949-962.
- Less H.; Angelovici R.; Tzin V.; Galili G.** (2010) Principal transcriptional regulation and genome-wide system interactions of the asp-family and aromatic amino acid networks of amino acid metabolism in plants. *Amino Acids* 39: 1023-1028.
- Li H.; Jiang D.; Wollenweber B.; Dai T.; Cao W.** (2010) Effects of shading on morphology, physiology and grain yield of winter wheat. *European Journal of Agronomy* 33 (4): 267-275.
- Lisjak M.; Srivastava N.; Teklic T.; Civale L.; Lewandowski K.; Wilson I.; Wood M.E.; Whiteman M.; Hancock J.T.** (2010) A novel hydrogen sulfide donor causes stomatal opening and reduces nitric oxide accumulation. *Plant Physiology and Biochemistry* 48 (12): 931-935.
- Lumbreras V.; Vilela B.; Irar S.; Sola M.; Capellades M.; Valls M.; Coca M.; Pages M.** (2010) A novel Arabidopsis MAPK phosphatase, MKP5, regulates ABA-signaling and lipid mobilization in seedling establishment. *Plant Journal* 63 (6): 1017-1030.
- Marco F.; Altabella T.; Alcazar R.; Cuevas J.; Bortolotti C.; Gonzalez E.; Ruiz O.; Tiburcio A.F.; Carrasco P.** (2010) Transcriptome analysis of *Arabidopsis* plants with altered PA metabolism and responses to abiotic stress. In: (Tuteja N, Gill SS, Tuteja R, eds.) *Omics and Plant Abiotic Stress. USA: Bentham Science Publishers*, 82-90.
- Milcevicova R.; Gosch C.; Halbwirth H.; Stich K.; Hanke M.-V.; Peil A.; Flachowsky H.; Rozhon W.; Jonak C.; Oufir M.; Hausman J.F.; Matusikova I.; Fluch S.; Wilhelm E.** (2010) Erwinia amylovora-induced defense mechanisms of two apple species that differ in susceptibility to fire blight. *Plant Science* 179 (1-2): 60-67.
- Monreal J.A.; McLoughlin F.; Echevarria C.; Garcia-Maurino S.; Testerink C.** (2010) Phosphoenolpyruvate carboxylase (PEPC) from C4 leaves is selectively targeted for inhibition by anionic phospholipids. *Plant Physiology* 152: 634-638.
- Mu H.; Jiang D.; Wollenweber B.; Dai T.; Jing Q.; Cao W.** (2010) Long-term Low Radiation Decreases Leaf Photosynthesis, Photochemical Efficiency and Grain Yield in Winter Wheat. *Journal of Agronomy and Crop Science* 196 (1): 38-47.
- Munnik T.** (2010) Lipid Signaling in Plants. Plant Cell Monographs 16. Heidelberg: Springer. p.: 330.
- Naka Y.; Watanabe K.; Sagor G.H.M.; Niitsu M.; Pillai A.; Kusano T.T.Y.** (2010) Quantitative analysis of plant polyamines including thermospermine during growth and salinity stress. *Plant Physiology and Biochemistry* 48: 527-533.
- Novickiene L.; Gaveliene V.; Miliuviene L.; Kazlauskiene D.; Pakalniskyte L.** (2010) Comparison of winter oilseed rape varieties - cold acclimation, seed yield and quality. *Agriculture Vilnius* 97 (3): 77-86.
- Novickiene L.; Gaveliene V.; Miliuviene L.; Kazlauskiene D.; Pakalniskyte L.** (2010) Analysis of lateral root growth in *Arabidopsis* in response to physiologically active auxin analogues.

- Nägele T.; Henkel S.; Hörmiller I.; Sauter T.; Sawodny O.; Ederer M.; Heyer A.G.** (2010) Mathematical modelling of the central carbohydrate metabolism in *Arabidopsis thaliana* reveals a substantial regulatory influence of vacuolar invertase on whole plant carbon metabolism. *Plant Physiology* 153: 260-272.
- Ondo Ovono P.; Kevers C.; Dommès J.** (2010) Effects of storage conditions on sprouting of microtubers of yam (*Dioscorea cayenensis-D. rotundata* complex). . *Comptes Rendus, Biologie* 233: 28-34.
- Ondo Ovono P.; Kevers C.; Dommès J.** (2010) Tuber formation and development of *Dioscorea cayenensis-D. rotundata* complex in vitro. Effect of polyamines. . *In Vitro Cellular & Developmental Biology - Plant* 46: 81-88.
- Ondo Ovono P.; Kevers C.; Dommès J.** (2010) Tuber formation and growth of *Dioscorea cayenensis-D. rotundata* complex. Interactions of exogenous and endogenous jasmonic acid and polyamines. *Plant Growth Regulation* 60: 247-263.
- Ondo Ovono P.; Kevers C.; Dommès J.** (2010) In Vitro Preservation of Yam (*Dioscorea cayenensis-D. rotundata* complex) for a Better Use of Genetic Resources. *Notulae Botanicae Horti Agrobotanici Cluj* 38 (2): 141-146.
- Pandey G.K.; Yadav A.; Kanwar P.; Tuteja N.** (2010) Role of Calcium in Regulating Potassium-Sodium Homeostasis and Nutrition Signaling under Stress conditions. *Plant Stress 4 (Special Issue 2): 94-103.*
- Papdi C.; Leung J.; Joseph M.P.; Perez-Salamo I.; Szabados L.** (2010) Genetic screens to identify plant stress genes. *Methods in Molecular Biology* 639: 121-139.
- Perera W.; Tabart J.; Gomez A.; Sipel A.; Payo A.; Kevers C.; Dommès J.** (2010) Antioxidant capacity of three cuban species of the genus *Pluchea* cass (*Asteraceae*). *Journal of Food Biochemistry* 34: 249-261.
- Porter J.R.; Wollenweber B.** (2010) The Rubisco enzyme and agricultural productivity. *Nature* 463 (7283): 876-876.
- Rao J.L.U.M.; Reddy P.S.; Mishra R.N.; Gupta D.; Sahal D.; Tuteja N.; Sopory S.K.; Reddy M.K.** (2010) Thermo and pH stable ATP-independent chaperone activity of heat-inducible Hsp70 from *Pennisetum glaucum*. *Plant Signaling & Behavior* 5 (2): 20-32.
- Rao R.S.P.; Thomsen Buus O.; Wollenweber B.** (2010) Evolutionary Pattern of N-Glycosylation Sequon Numbers in Eukaryotic ABC Protein Superfamilies. *Bioinformatics and Biology Insights* 4: 1-9.
- Rao R.S.P.; Wollenweber B.** (2010) Do N-glycoproteins have preference for specific sequons? *Bioinformation* 5 (5): 208-210.
- Rao R.S.P.; Wollenweber B.** (2010) Subtle evolutionary changes in the distribution of N-glycosylation sequons in the HIV-1 envelope glycoprotein 120. *International Journal of*

- Rodriguez M.; Edsgard D.; Hussain S.S.; Alquezar A.; Rasmussen M.; Gilbert T.; Nielsen B.; Bartels D.; Mundy J.** (2010) Transcriptomes of the desiccation tolerant resurrection plant *Craterostigma plantagineum*. *The Plant Journal* 63: 212-228.
- Saglam A.; Terzi R.; Nar H.; Saruhan N.; Ayaz F.A.; Kadioglu A.** (2010) Inorganic and organic solutes in apoplastic and symplastic spaces contribute to osmotic adjustment during leaf rolling. *Acta Biologica Cracoviensia Series Botanica* 37 (1): 37-44.
- Salaj T.; Matusikova I.; Panis B.; Swennen R.; Salaj J.** (2010) Recovery and characteristics of hybrid firs (*Abies alba* x *A. cephalonica*, *Abies alba* x *A. numidica*) embryogenic tissues after cryopreservation. *CryoLetters* 31 (3): 206-217.
- Saruhan N.; Terzi R.; Saglam A.; Kadioglu A.** (2010) Scavenging of reactive oxygen species in apoplastic and symplastic areas of rolled leaves in *Ctenanthe setosa* under drought stress. *Acta Biologica Hungarica* 60 (3): 282-289.
- Sergeant K.; Renaut J.** (2010) Plant biotic stress and proteomics. *Current Proteomics* 7: 275-297.
- Singh S.; Khan N.A.; Tuteja N.** (2010) Amelioration of Cadmium Stress in Crop Plants by Nutrients Management: Morphological, Physiological and Biochemical Aspects. *Plant Stress* 5 (Special Issue 1): 1-23.
- Szabados L.; Savoure A.** (2010) Proline - a multifunctional amino acid. *Trends in Plant Science* 15: 89-97.
- Sziderics A.H.; Oufir M.; Trognitz F.; Kopecky D.; Matusikova I.; Hausman J.F.; Wilhelm E.** (2010) Organ-specific defence strategies of pepper (*Capsicum annuum* L.) during early phase of water deficit. *Plant Cell Reports* 29 (3): 295-305.
- Tabart J.; Kevers C.; Pincemail J.; Defraigne J.O.; Dommes J.** (2010) Evaluation of spectrophotometric methods for antioxidant compound measurement in relation to total antioxidant capacity in beverages. *Food Chemistry* 120: 607-614.
- Takahashi Y.; Cong R.; Sagor G.H.M.; Niitsu M.; Berberich T.; Kusano T.** (2010) Characterization of five polyamine oxidase isoforms in *Arabidopsis thaliana*. *Plant Cell Reports* 29: 955-965.
- Teklic T.; Spoljarevic M.; Stanisavljevic A.; Lisjak M.; Vinkovic T.; Paradikovic N.; Andric L.; Hancock J.T.** (2010) Assessment of the Influence of Different Sample Processing and Cold Storage Duration on Plant Free Proline Content Analyses. *Phytochemical Analysis* 21 (6): 561-565.
- Terzi R.; Saglam A.; Kutlu N.; Nar H.; Kadioglu A.** (2010) Impact of soil drought stress on photochemical efficiency of photosystem II and antioxidant enzyme activities of *Phaseolus vulgaris* cultivars. *Turkish Journal of Botany* 34: 1-10.
- Theocharis A.** (2010) Study of genetic diversity among inter-intraspecific hybrids and original

- grapevine varieties using AFLP molecular markers. *Australian Journal of Crop Science* 4 (1): 1-8.
- Tran N.Q.; Dang H.Q.; Tuteja R.; Tuteja N.** (2010) A single subunit MCM6 from pea forms homohexamer and functions as DNA helicase. *Plant Molecular Biology* 74: 327-336.
- Tuteja N.** (2010) A method to confer salinity stress tolerance to plants by helicase overexpression. *Methods in Molecular Biology* 587: 377-387.
- Tuteja N.; Gill S.S.; Tuteja R.** (2010) Abiotic Stress Tolerance in Crop Plants: Shedding light on Salinity, Cold, Drought and Heavy Metal Stress. In: (Tuteja N, Gill SS, Tuteja R, eds.) *Omics and Plant Abiotic Stress. USA: Bentham Science Publishers, 39-64.*
- Tuteja N.; Singh S.; Trivedi P.K.; Asif M.H.; Nath P.** (2010) Plant Growth Regulators and their Role in Stress Tolerance. *Plant Stress* 4 (Special Issue 1): 1-18.
- Tuteja N.; Umate P.; Tuteja R.** (2010) Conserved thioredoxin fold is present in *Pisum sativum* L. sieve element occlusion-1 protein. *Plant Signaling & Behavior* 5 (6): 623-628.
- Tuteja N.; Umate P.; Tuteja R.** (2010) Forisomes as calcium-energized protein complex: a historical perspective. *Plant Signaling & Behavior* 5 (5): 497-500.
- Tuteja N.; Umate P.; van Bel A.J.E.** (2010) Forisomes: calcium-powered protein complexes with potential as 'smart' biomaterials. *Trends in Biotechnology* 28 (2): 102-110.
- Tzin V.; Galili G.** (2010) New insights into the shikimate and aromatic amino acids biosynthesis pathways in plants. *Molecular Plant* 6: 956-972.
- Tzin V.; Galili G.** (2010) The biosynthetic pathways for shikimate and aromatic amino acids in *Arabidopsis thaliana*. *The Arabidopsis Book, Vol. 8(1): The American Society of Plant Biologists, 1-18.*
- Umate P.; Tuteja N.** (2010) Genome-wide analysis of thioredoxin fold superfamily peroxiredoxins in Arabidopsis and rice. *Plant Signaling & Behavior* 5 (12): 1543-1548.
- Umate P.; Tuteja N.** (2010) microRNA access to the target helicases from rice. *Plant Signaling & Behavior* 5 (10): 1171-1175.
- Umate P.; Tuteja R.; Tuteja N.** (2010) Architectures of the unique domains associated with the DEAD-box helicase motif. *Cell Cycle* 9: 4228-4235.
- Umate P.; Tuteja R.; Tuteja N.** (2010) Genome wide analysis of helicase gene family from rice and Arabidopsis: a comparison with yeast and human. *Plant Molecular Biology* 73: 449-465.
- Umbrasaite J.; Schweighofer A.; Kazanaviciute V.; Magyar Z.; Ayatollahi Z.; Unterwurzacher V.; Choopayak C.; Boniecka J.; Murray J.A.H.; Bogre L.; Meskiene I.** (2010) MAPK Phosphatase AP2C3 Induces Ectopic Proliferation of Epidermal Cells Leading to Stomata Development in Arabidopsis. *PLoS One* 5 (12): e15357.
- Vilela B.; Pages M.; Lumbreras V.** (2010) Regulation of MAPK signalling and cell death by MAPK phosphatase MKP2. *Plant Signaling & Behavior* 5 (11): 1497-1500.

Wingenter K.; Schulz A.; Wormit A.; Wic S.; Trentmann O.; Hörmiller I.I.; Heyer A.G.; Marten I.; Hedrich R.; Neuhaus H.E. (2010) Increased activity of the vacuolar monosaccharide transporter TMT1 alters cellular sugar partitioning, sugar signalling and seed yield in *Arabidopsis*. *Plant Physiology* 15: 665-677.

Yadav V.; Kumar M.; Deep D.K.; Kumar H.; Sharma R.; Tripathi T.; Tuteja N.; Saxena A.K.; Johri A.K.A. (2010) Phosphate Transporter from the Root Endophytic Fungus *Piriformospora indica* Plays a Role in the Phosphate Transport to the Host Plant. *Journal of Biological Chemistry* 285: 26532-26544.

Zaidi I.; Ebel C.; Touzri M.; Herzog E.; Evrard J.L.; Schmit A.C.; Masmoudi K.; Hanin M. (2010) TMKP1 is a novel wheat stress responsive MAP kinase phosphatase localized in the nucleus. *Plant Molecular Biology* 73 (3): 325-338.

2011

Aharoni A.; Galili G. (2011) Metabolic engineering of the plant primary - secondary metabolism interface. *Current Opinion in Biotechnology* 22 (2): 239-244.

Alcazar R.; Bitrian M.; Bartels D.; Koncz C.; Altabella T.; Tiburcio A.F. (2011) Polyamine metabolic canalization in response to drought stress in *Arabidopsis* and the resurrection plant *Craterostigma plantagineum*. *Plant Signalling & Behaviour* 6 (2): 243-250.

Alcazar R.; Cuevas J.; Planas J.; Zarza X.; Carrasco P.; Salinas J.; Tiburcio A.F.; Altabella T. (2011) Integration of polyamines in the cold acclimation response. *Plant Science* 180: 31-38.

Alet A.I.; Sanchez D.H.; Cuevas J.C.; Valle S.; Altabella T.; Tiburcio A.F.; Marco F.; Ferrando A.; Espasandin F.D.; González M.E.; Carrasco P.; Ruiz O.A. (2011) Putrescine accumulation in *Arabidopsis thaliana* transgenic lines enhances tolerance to dehydration and freezing stress. *Plant Signalling & Behaviour* 6 (2): 278-286.

Alet A.I.; Sanchez D.H.; Ferrando A.; Tiburcio A.F.; Alcazar R.; Cuevas J.C.; Altabella T.; Pico F.M.; Carrasco P.; Menendez A.B.; Ruiz O.A. (2011) Homeostatic control of polyamine levels under long-term salt stress in *Arabidopsis* - Changes in putrescine content do not alleviate ionic toxicity. *Plant Signalling & Behaviour* 6 (2): 237-242.

Bhardwaj D.; Sheikh A.h.; Sinha A.K.; Tuteja N. (2011) Stress induced beta subunit of heterotrimeric G-proteins from *Pisum sativum* interacts with mitogen activated protein kinase. *Plant Signalling & Behaviour* 6 (2): 287-292.

Bitrian M.; Roodbarkelari F.; Koncz C. (2011) BAC-recombineering for studying plant gene regulation - developmental control and cellular localization of SnRK1 kinase subunits. *Plant Journal* 65: 829-842.

Campestre M.P.; Bordenave C.D.; Origone A.C.; Menendez A.B.; Ruiz O.A.; Rodriguez A.A.; Maiale S.J. (2011) Polyamine catabolism is involved in response to salt stress in soybean hypocotyls. *Journal of Plant Physiology* 168 (11): 1234-1240.

- Castagno L.N.; Estrella M.J.; Sannazzaro A.I.; Grassano A.E.; Ruiz O.A.** (2011) Phosphate-solubilization mechanism and in vitro plant growth promotion activity mediated by *Pantoea eucalypti* isolated from *Lotus tenuis* rhizosphere in the Salado River Basin (Argentina). *Journal of Applied Microbiology* 110 (5): 1151-1165.
- Cecchini N.M.; Monteoliva M.I.; Alvarez M.E.** (2011) Proline dehydrogenase contributes to pathogen defence in *Arabidopsis*. *Plant Physiology* 115: 1947-1959.
- Czyczylo-Mysza I.; Marcinska I.; Skrzypek E.; Chrupek M.; Grzesiak S.; Hura T.; Stojalowski S.; Myskow B.; Milczarski P.; Quarrie S.** (2011.) Mapping QTLs for yield components and chlorophyll a fluorescence parameters in wheat under three levels of water availability. *Plant Genetic Resources: Characterization and Utilization* doi:10.1017/S1479262111000207.
- Dang H.; Tran N.; Gill S.; Tuteja R.; Tuteja N.** (2011) A single subunit MCM6 from pea promotes salinity stress tolerance without affecting yield. *Plant Molecular Biology* 76 (1): 19-34.
- Dumbliauskas E.; Lechner E.; Jaciubek M.; Berr A.; Pazhouhandeh M.; Alioua M.; Cognat V.; Brukhin V.; Koncz C.; Grossniklaus U.; Molinier J.; Genschik P.** (2011) The *Arabidopsis* CUL4-DDB1 complex interacts with MSI1 and is required to maintain MEA parental imprinting. *EMBO Journal* 30: 731-743.
- El-Kasmi F.; Pacher T.; Strompen G.; Stierhof Y.-D.; Müller L.M.; Koncz C.; Mayer U.; Jürgens G.** (2011) *Arabidopsis* SNARE protein SEC22 is essential for gametophyte development and maintenance of Golgi-stack integrity. *The Plant Journal* 66 (2): 268-279.
- Eshel A.; Oren I.; Alekparov C.; Eilam T.; Zilberstein A.** (2011) Biomass production by desert halophytes: Alleviating the pressure on the scarce resources of arable soil and fresh water. *European Journal of Plant Science and Biotechnology* 5 (2): 48-53.
- Filippou P.; Antoniou C.; Fotopoulos V.** (2011) Effect of drought and rewatering on the cellular status and antioxidant response of *Medicago truncatula* plants. *Plant Signalling & Behaviour* 6 (2): 270–277.
- Fortes A.M.; Costa J.; Santos F.; Seguí-Simarro J.M.; Palme K.; Altabella T.; Tiburcio A.F.; Pais M.A.** (2011) Arginine decarboxylase expression, polyamines biosynthesis and reactive oxygen species during organogenic nodule formation in hop. *Plant Signalling & Behaviour* 6 (2): 258–269.
- Galili G.** (2011) The aspartate-family pathway of plants: Linking production of essential amino acids with energy and stress regulation. *Plant Signalling & Behaviour* 6 (2): 192–195.
- Gill S.S.; Khan N.A.; Tuteja N.** (2011) Differential cadmium stress tolerance in five indian mustard (*Brassica juncea* L.) cultivars: An evaluation of the role of antioxidant machinery. *Plant Signalling & Behaviour* 6 (2): 293–300.
- Gill S.S.; Tuteja N.** (2011) Cadmium stress tolerance in crop plants: Probing the role of sulfur. *Plant Signalling & Behaviour* 6 (2): 215–222.

- Gupta D.; Tuteja N.** (2011) Chaperones and foldases in endoplasmic reticulum stress signaling in plants. *Plant Signalling & Behaviour* 6 (2): 232–236.
- Iftime D.; Hannah M.A.; Peterbauer T.; Heyer A.G.** (2011) Stachyose in the cytosol does not influence freezing tolerance of transgenic *Arabidopsis* expressing stachyose synthase from adzuki bean. *Plant Science* 180: 24-30.
- Jaeger K.; Fabian A.; Tompa G.; Deak C.; Hoehn M.; Olmedilla A.; Barnabás B.; Papp I.** (2011) New phenotypes of the drought tolerant cbp20 *Arabidopsis thaliana* mutant concern epidermal morphology. *Plant Biology* 13: 78-84.
- Kadioglu A.; Saruhan N.; Saglam A.; Terzi R.; Acet T.** (2011) Exogenous salicylic acid alleviates effects of long term drought stress and delays leaf rolling by inducing antioxidant system. *Plant Growth Regulation* 64 (1): 27-37.
- Kitsios G.; Doonan J.H.** (2011) Cyclin dependent protein kinases and stress responses in plants. *Plant Signalling & Behaviour* 6 (2): 204–209.
- Kosova K.; Vitamvas P.; Prasil I.T.; Renaut J.** (2011) Plant proteome changes under abiotic stress: Contribution of proteomics studies to understanding plant stress response. *Journal of Proteomics* 74 (8): 1301-1322.
- Kumar M.; Yadav V.; Singh A.; Tuteja N.; Johri A.K.** (2011) Piriformospora indica enhances plant growth by transferring phosphate. *Plant Signaling & Behavior* 6 (5): 723-725.
- Li C.; Jiang D.; Wollenweber B.; Li Y.; Dai T.; Cao W.** (2011) Waterlogging pretreatment during vegetative growth improves tolerance to waterlogging after anthesis in wheat. *Plant Science* 180 (5): 672-678.
- Luksiene B.; Konstantinova M.; Druteikiene R.; Darginaviciene J.; Gaveliene V.; Butkus D.** (2011) Impact of Chemical Substances on 137Cs Accumulation in Spring Wheat Seedlings and Their Cell Nuclei Reactions. *Water Air and Soil Pollution* 216 (1-4): 561-569.
- Meisrimler C.-N.; Planchon S.; Renaut J.; Sergeant K.; Lüthje S.** (2011) Alteration of plasma membrane-bound redox systems of iron deficient pea roots by chitosan. *Journal of Proteomics* 74 (8): 1437-1449.
- Mhadhbi H.; Fotopoulos V.; Mylona P.V.; Jebara M.; Aouani M.E.; Polidoros A.** (2011) Role of antioxidant gene-enzyme responses in *Medicago truncatula* genotypes with different degrees of sensitivity to high salinity. *Physiologia Plantarum* 141: 201-214.
- Mishra A.; Mishra K.B.; Höermiller I.K.; Heyer A.G.; Nedbal L.** (2011) Chlorophyll fluorescence emission as a reporter on cold tolerance in *Arabidopsis thaliana* accessions. *Plant Signalling & Behaviour* 6 (2): 301–310.
- Missihoun T.D.; Schmitz J.; Klug R.; Kirch H.H.; Bartels D.** (2011) Betaine aldehyde dehydrogenase genes from *Arabidopsis* with different sub-cellular localization affect stress responses. *Planta* 233 (2): 369-382.
- Nägele T.; Kandel B.; Frana S.; Meißner M.; Heyer A.G.** (2011) A systems biology approach to

analyse carbohydrate dynamics during acclimation to low temperature in *Arabidopsis thaliana*. *FEBS Journal* 278: 506-518.

- Pirselova B.; Kuna R.; Libantova J.; Moravcikova J.; Matusikova I.** (2011) Biochemical and physiological comparison of heavy metal-triggered defense responses in the monocot maize and dicot soybean roots. *Molecular Biology Reports* 38 (5): 3437-3446.
- Rao R.S.; Buus O.T.; Wollenweber B.** (2011) Distribution of N-glycosylation sequons in proteins: How apart are they? *Computational Biology and Chemistry* 35 (2): 57-61.
- Saglam A.; Saruhan N.; Terzi R.; Kadioglu A.** (2011) The relations between antioxidant enzymes and chlorophyll fluorescence parameters in common bean cultivars differing in sensitivity to drought stress. *Russian Journal of Plant Physiology* 58 (1): 1-9.
- Sanchez A.; Shin J.; Davis S.J.** (2011) Abiotic stress and the plant circadian clock. *Plant Signalling & Behaviour* 6 (2): 223-231.
- Sannazzaro A.I.; Bergottini V.M.; Paz R.C.; Castagno L.N.; Menendez A.B.; Ruiz O.A.; Pieckenstain F.L.; Estrella M.J.** (2011) Comparative symbiotic performance of native rhizobia of the Flooding Pampa and strains currently used for inoculating *Lotus tenuis* in this region. *Antonie van Leeuwenhoek Journal of Microbiology* (99): 371-379.
- Shirzadi R.; Andersen E.D.; Bjerkan K.N.; Gloeckle B.M.; Heese M.; Ungru A.; Winge P.; Koncz C.; Aalen R.B.; Schnittger A.; Grini P.E.** (2011) Genome-Wide Transcript Profiling of Endosperm without Paternal Contribution Identifies Parent-of-Origin-Dependent Regulation of AGAMOUS-LIKE36. *PLoS Genet* 7 (2): e1001303.
- Singh L.P.; Gill S.S.; Tuteja N.** (2011) Unraveling the role of fungal symbionts in plant abiotic stress tolerance. *Plant Signalling & Behaviour* 6 (2): 175-191.
- Sinha A.K.; Jaggi M.; Raghuram B.; Tuteja N.** (2011) Mitogen-activated protein kinase signaling in plants under abiotic stress. *Plant Signalling & Behaviour* 6 (2): 196-203.
- Spoljarevic M.; Agic D.; Lisjak M.; Gumze A.; Wilson I.D.; Hancock J.T.; Teklic T.** (2011) The relationship of proline content and metabolism on the productivity of maize plants. *Plant Signalling & Behaviour* 6 (2): 251-257.
- Stein H.; Honig A.; Miller G.; Erster O.; Eilenberg H.; Csonka L.N.; Szabados L.; Koncz C.; Zilberstein A.** (2011) Elevation of free proline and proline-rich protein levels by simultaneous manipulations of proline biosynthesis and degradation in plants. *Plant Science* 181 (2): 140-150.
- Stiti N.; Adewale I.O.; Petersen J.; Bartels D.; Kirch H.H.** (2011) Engineering the nucleotide coenzyme specificity and sulfhydryl redox sensitivity of two stress-responsive aldehyde dehydrogenase isoenzymes of *Arabidopsis thaliana*. *Biochemical Journal* 434 (3): 459-471.
- Szabados L.; Kovacs H.; Zilberstein A.; Bouchereau A.** (2011) Plants in extreme environments - importance of protective compounds in stress tolerance. *Advances in Botanical Research* 57: 105-150.

- Tajrishi M.M.; Tuteja R.; Tuteja N.** (2011) Nucleolin: The most abundant multifunctional phosphoprotein of nucleolus. *Communicative & Integrative Biology* 4 (3): 267-275.
- Tran N.Q.; Pham X.H.; Tuteja R.; Tuteja N.** (2011) Inhibition of unwinding and ATPase activities of pea MCM6 DNA helicase by actinomycin and nogalamycin. *Plant Signaling & Behavior* 6 (3): 327-329.
- Tuteja N.; Tiburcio A.F.; Fortes A.M.; Bartels D.** (2011) Special Issue - Plant Abiotic Stress. *Plant Signalling & Behaviour* 6 (2): 173–174.
- Ufaz S.; Shukla V.; Soloveichik Y.; Golan Y.; Breuer F.; Koncz Z.; Galili G.; Koncz C.; Zilberstein A.** (2011) Transcriptional control of aspartate kinase expression during darkness and sugar depletion in Arabidopsis: Involvement of bZIP. *Planta* 233 (5): 1025-1040.
- Umate P.; Tuteja N.** (2011) Genome-wide analysis of lipoxygenase gene family in Arabidopsis and rice. *Plant Signaling & Behavior* 6 (3): 335-338.
- Umate P.; Tuteja N.; Tuteja R.** (2011) Genome-wide comprehensive analysis of human helicases. *Communicative & Integrative Biology* 4 (1): 118-137.
- van den Dries N.; Facchinelli F.; Giarola V.; Phillips J.R.; Bartels D.** (2011) Comparative analysis of LEA-like 11-24 gene expression and regulation in related plant species within the Linderniaceae that differ in desiccation tolerance. *New Phytologist* 190 (1): 75-88.
- Yang F.; Jorgensen A.D.; Li H.; Sondergaard I.; Finnie C.; Svensson B.; Jiang D.; Wollenweber B.; Jacobsen S.** (2011) Implications of high-temperature events and water deficits on protein profiles in wheat (*Triticum aestivum* L. cv. Vinjett) grain. *Proteomics* 11 (9): 1684-1695.

2011, in press

- Aalto M.; Helenius E.; Kariola T.; Pennanen V.; Heino P.; Horak H.; Puzorjova I.; Kollist H.; Palva E.T.** (2011) ERD15 - An attenuator of plant ABA responses and stomatal aperture. *Plant Science*, (in press).
- Alet A.I.; Sanchez D.H.; Cuevas J.C.; Marina M.; Carrasco P.; Altabella T.; Tiburcio A.F.; Ruiz O.A.** (2011) New insights into the role of spermine in Arabidopsis thaliana under long-term salt stress. *Plant Science*, (in press).
- Alvarez G.S.; Pieckenstain F.L.; Desimone M.F.; Estrella M.J.; Ruiz O.A.; Diaz L.E.** (2011) Evaluation of sol-gel silica matrices as inoculants carriers for Mesorhizobium loti.) *Current Research, Technology and Education Topics in Applied Microbiology and Microbial Biotechnology*: , (in press).
- Ambrosone A.; Costa A.; Leone A.; Grillo S.** (2011) Beyond transcription: RNA-binding proteins as emerging regulators of plant response to environmental constraints. *Plant Science*, (in press).
- Bartels D.; Beck E.; Lüttge U.** (2011) Desiccation tolerance in plants. Ecological Studies: Springer,

Heidelberg.

- Bartels D.; Hussain S.S.** (2011) Resurrection Plants: Physiology and Molecular Biology in Desiccation tolerance in plants.
- Cvikrova M.; Gemperlova L.; Dobra J.; Martincova O.; Prasil I.T.; Gubis J.; Vankova R.** (2011) Effect of heat stress on polyamine metabolism in proline-over-producing tobacco plants. *Plant Science*, (in press).
- Dinakar C.; Djilianov D.; Bartels D.** (2011) Photosynthesis in desiccation tolerant plants: Energy metabolism and antioxidative stress defense. *Plant Science*, (in press).
- Dinakar C.; Djilianov D.; Bartels D.** (2011) Photosynthesis in desiccation tolerant plants: Energy metabolism and antioxidative stress defense. *Plant Science*, (in press).
- Escaray F.J.; Menendez A.B.; Garriz A.; Pieckenstain F.L.; Estrella M.J.; Castagno L.N.; Carrasco P.; Sanjuan J.; Ruiz O.A.** (2011) Ecological and agronomic importance of the plant genus Lotus. Its application in grassland sustainability and the amelioration of constrained and contaminated soils. *Plant Science*, (in press).
- Fotopoulos V.; Dovas C.I.; Katis N.** (2011) Incidence of spinach viruses in Greece, highlighting the importance of weeds as reservoir hosts. *Journal of Plant Pathology*, (in press).
- Gill S.S.; Khan N.A.; Tuteja N.** (2011) Cadmium at high dose perturbs growth, photosynthesis and nitrogen metabolism while at low dose it up regulates sulfur assimilation and antioxidant machinery in garden cress (*Lepidium sativum* L.). *Plant Science*, (in press).
- Iannacone R.; Cellini F. ; Morelli G.; Ruberti I.** (2011) Translational Biology Approaches to Improve Abiotic Stress Tolerance in Crops. In: Improving Crop Resistance to Abiotic Stress, Volume 1 Editors: N Tuteja, Sarvajeet S. Gill, Antonio F. Tiburcio and Renu Tuteja. Publisher: Wiley-Blackwell, Wiley-VCH Verlag GmbH & Co., Germany, (in press).
- Kadioglu A.; Terzi R.; Saruhan N.; Saglam A.** (2011) Current advances in the investigation of leaf rolling caused by biotic and abiotic stress factors. *Plant Science*, (in press).
- Marco F. ; Alcázar R.; Altabella T.; Carrasco P.; Gill S.S.; Tuteja N.; and Tiburcio A.F.** (2011) Polyamines in developing stress resistant crops Volume 1 Editors: N Tuteja, Sarvajeet S. Gill, Antonio F. Tiburcio and Renu Tuteja. Publisher: Wiley-Blackwell, Wiley-VCH Verlag GmbH & Co., Germany, (in press).
- Mishra K.B.; Iannacone R.; Petrozza A.; Mishra A.; Armentano N.; La Vecchia G.; Trtilek M.; Cellini F.; Nedbal L.** (2011) Engineered drought tolerance in tomato plants is reflected in chlorophyll fluorescence emission. *Plant Science*, (in press).
- Santiago J.; Dupeux F.; Betz K.; Antoni R.; Gonzalez-Guzman M.; Rodriguez L.; Marquez J.A.; Rodriguez P.L.** (2011) Structural insights into PYR/PYL/RCAR ABA receptors and PP2Cs. *Plant Science*, (in press).
- Servet C.; Richard L.; Ghelis T.; Zilberstein A.; Savouré A.** (2011) Proline dehydrogenase: a key

enzyme in controlling cellular homeostasis. *Frontiers in Bioscience*, (in Press).

Siahpoosh M.R.; Sanchez D.H.; Schlereth A.; Scofield G.N.; Furbank R.T.; van Dongen J.T.; Kopka J. (2011) Modification of OsSUT1 gene expression modulates the salt response of rice *Oryza sativa* cv. Taipei 309. *Plant Science*, (in press).

Torras-Claveria L.; Jauregui O.; Codina C.; Tiburcio A.F.; Bastida J.; Viladomat F. (2011) Analysis of phenolic compounds by high-performance liquid chromatography coupled to electrospray ionization tandem mass spectrometry in senescent and water-stressed tobacco. *Plant Science*, (in press).

Ufaz S.; Shukla V.; Soloveichik Y.; Golan Y.; Breuer F.; Koncz Z.; Galili G.; Koncz C.; Zilberstein A. (2011) Transcriptional control of Arabidopsis aspartate kinase gene family by light and sucrose. *Planta*, (in press).

Uzilday B.; Turkan I.; Sekmen A.H.; Ozgur R.; Karakaya H.C. (2011) Comparison of ROS formation and antioxidant enzymes in *Cleome gynandra* (C4) and *Cleome spinosa* (C3) under drought stress. *Plant Science*, (in press).

Zsigmond L.; Szepesi A.; Tari I.; Rigo G.; Kiraly A.; Szabados L. (2011) Overexpression of the mitochondrial PPR40 gene improves salt tolerance in Arabidopsis. *Plant Science*, (in press).